

# Package ‘radviz3d’

February 27, 2026

**Title** 3D Radial Visualization

**Version** 2.3.1

**Description** Creating 3D radial visualizations of multivariate data.

The package extends traditional radial coordinate visualization (RadViz) techniques to three-dimensional space, enabling enhanced exploration and analysis of high-dimensional datasets through interactive 3D plots. Zhu, Dai & Maitra (2022) <[doi:10.1080/10618600.2021.2020129](https://doi.org/10.1080/10618600.2021.2020129)>.

**Depends** R (>= 3.5.0)

**License** GPL (>= 2)

**Encoding** UTF-8

**LazyData** true

**Imports** rgl (>= 0.100.19)

**Suggests** MixSim, gtools

**RoxygenNote** 7.1.1

**Author** Yifan Zhu [cre, aut],  
Fan Dai [aut, ctb],  
Ranjan Maitra [aut, ctb],  
Niraj Kunwar [aut, ctb],  
Gani Agadilov [aut, ctb]

**Maintainer** Yifan Zhu <[fannechu@gmail.com](mailto:fannechu@gmail.com)>

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2026-02-27 08:30:02 UTC

## Contents

celadons . . . . .	2
Gtrans . . . . .	2
mrp . . . . .	3
overlap_mat_sim . . . . .	4
radialvis3d . . . . .	4

sarscov2.us.variants . . . . .	6
sim_data . . . . .	6
wine . . . . .	7

<b>Index</b>	<b>8</b>
--------------	----------

---

celadons	<i>Compositions of ancient Chinese celdon pieces</i>
----------	--

---

### Description

This dataset contains compositional data of ancient Chinese celdon from Longquan and Jingdezhen kiln from North Song to Ming Dynasties.

### Usage

celadons

### Format

A data frame with 19 variables and 88 observations.

**mf** Manufacturer of the celdon piece: FLQ for Jingdezhen and LG for Longquan

**era** The manufacturing time and part of the celdon piece in "time-part" format. There are two different parts (body (b) and glaze (g)) and four times (Song Dynasty (S), Yuan Dynasty (Y), Ming Dynastty(M) and Qing Dynasty (QC)).

**Al2O3, CaO, CuO, Fe2O3, K2O, MgO, MnO, Na2O, P2O5, PbO2, Rb2O, SiO2, SrO, TiO2, Y2O3, ZnO, ZrO2**  
The contents of chemical components.

---

Gtrans	<i>G-transformation function</i>
--------	----------------------------------

---

### Description

function to transform discrete or mixture of discrete and continuous datasets to continuous datasets with marginal normal(0,1).

### Usage

Gtrans(data, cl = NULL, VariableSelection = FALSE, p\_threshold = 0.05, ...)

**Arguments**

<code>data</code>	The dataset to be transforms. The dataset can be discrete in all columns, continuous in all columns or a mixture of continuous columns and discrete columns.
<code>cl</code>	The class information of the dataset. This is not required when <code>VariableSelection = FALSE</code> .
<code>VariableSelection</code>	Logical. If true, anova will be performed to each variable to see whether there is a difference among groups for that variable. The variable associated with Bonferroni adjusted p-value larger than a threshold will be removed.
<code>p_threshold</code>	The threshold for adjusted p-value in variable selection when <code>VariableSelection = TRUE</code> .
<code>...</code>	Additional arguments passed to internal functions.

**Value**

A transformed continuous dataset with the same copula as the input dataset and marginal normal(0,1).

---

<code>mrp</code>	<i>Max-Ratio Projection function</i>
------------------	--------------------------------------

---

**Description**

function to project high-dimensional datasets to lower dimension with max-ratio projection.

**Usage**

```
mrp(data, cl, nproj = 4, message = TRUE, ...)
```

**Arguments**

<code>data</code>	The dataset to apply MRP. Each row is an observation.
<code>cl</code>	The class identification for each observation. The length of <code>cl</code> should be the same as the number of rows of <code>data</code> .
<code>nproj</code>	The number of max-ratio directions to be used in projecting the original data to the projected data.
<code>message</code>	Logical. Whether to show the accumulative variance explained by the projection directions or not.
<code>...</code>	Additional arguments passed to internal functions.

**Value**

A list with the elements

<code>projected_df</code>	The projected data with selected number of max-ratio directions.
<code>pccumvar</code>	The cumulative variance explained by the max-ratio principal components.

---

overlap_mat_sim	<i>Overlap matrices for simulated data</i>
-----------------	--

---

**Description**

This is a list containing three overlap matrices corresponding to the sim\_data datasets, showing class separability.

**Usage**

```
overlap_mat_sim
```

**Format**

A list of 3 matrices, each 5x5, representing overlap between classes

---

radialvis3d	<i>3D Radial Visualization function</i>
-------------	---

---

**Description**

3D Radial Visualization function

**Usage**

```
radialvis3d(  
  data,  
  domrp = TRUE,  
  doGtrans = FALSE,  
  sqrt_scale = FALSE,  
  cl = NULL,  
  color = NULL,  
  pch = 16,  
  colorblind = FALSE,  
  axes = FALSE,  
  point.cex = 1,  
  with.coord.labels = TRUE,  
  coord.labels = NULL,  
  coord.font = 2,  
  coord.cex = 1.1,  
  with.class.labels = TRUE,  
  class.labels = levels(factor(cl)),  
  class.labels.locations = NULL,  
  opt.anchor.order = FALSE,  
  alpha = 0.02,
```

```

    lwd = 1,
    axes.col = "black",
    ret.trans = FALSE,
    ...
)

```

## Arguments

<code>data</code>	The dataset to visualize. Each row is an observation.
<code>domrp</code>	Logical. If true, MRP is applied to the original dataset. The default number of PCs used is <code>npc = 4</code> .
<code>doGtrans</code>	Logical. If true, Gtrans is applied to the original dataset. @seealso <a href="#">Gtrans</a> .
<code>sqrt_scale</code>	Logical. If true, the distance of the points to be visualization will be augmented to square root of the original distance to make points further away from the origin.
<code>c1</code>	The class identification for each observation. The length of <code>c1</code> should be the same as the number of rows of data. If specified, different classes would be visualized with different colors.
<code>color</code>	The colors for different classes. If not specified, <code>rainbow</code> is used.
<code>pch</code>	The point character to be used. It is an integer or a vector of integers of the same length of the row of the dataset. See <a href="#">points</a> for a complete list of characters.
<code>colorblind</code>	Logical. The colors for different classes. If true, points are colorblind friendly. If false, <code>rainbow</code> is used.
<code>axes</code>	Logical. If true, Cartesian axes would be plotted.
<code>point.cex</code>	The size of the data point in RadViz3D. The default value is 1.
<code>with.coord.labels</code>	Logical. If true, labels of coordinates will be added to the visualization.
<code>coord.labels</code>	The labels for components of the dataset. When <code>domrp = TRUE</code> , the <code>coord.labels</code> will be changed to "Xi" representing the <i>i</i> th direction obtained with MRP.
<code>coord.font</code>	The font for labels of components.
<code>coord.cex</code>	The size of the labels of components.
<code>with.class.labels</code>	Logical. If true, class labels will be added to the visualization.
<code>class.labels</code>	The labels for different classes in the dataset.
<code>class.labels.locations</code>	Locations to put labels for each class. If not specified, an optimal location for each class would be calculated.
<code>opt.anchor.order</code>	Logical. If true, the optimal order of anchor points corresponding to the components would be calculated. This is a very time consuming procedure. Not recommended if the number of components is larger than 6.
<code>alpha</code>	The alpha value that controls the transparency of the sphere in 3d visualization
<code>lwd</code>	The line width in the visualization
<code>axes.col</code>	Colors of the axes, if needed to be displayed
<code>ret.trans</code>	Logical parameter, returns the Radviz3D transformation if TRUE
<code>...</code>	Some other parameters from <a href="#">mrp</a> and <a href="#">Gtrans</a> and <a href="#">rgl</a> functions.

**Value**

A list with the elements

mrp.res            The result of MRP is the argument domrp = TRUE. See also [mrp](#).

**Examples**

```
radialvis3d(data = iris[,-5], cl = iris[,5], domrp = TRUE)
```

---

sarscov2.us.variants    *COVID-19 US variants dataset*

---

**Description**

This is a compositional dataset of the COVID-19 variants in the US from 6/19/2021 to 9/18/2021.

**Usage**

```
sarscov2.us.variants
```

**Format**

A data frame of 140 observations and 14 variables.

**group** The date.

**type** weighted

**region** Region of the US labelled by numbers.

**B.1.1.194, B.1.1.7, B.1.351, B.1.525, B.1.526, B.1.621, B.1.628, B.1.637, Delta, Other\*, P.1** COVID-19 variants compositions.

---

sim\_data                    *Simulated datasets for testing*

---

**Description**

This is a list containing three simulated datasets, each with 500 observations and 5 classes, used for testing visualization methods.

**Usage**

```
sim_data
```

**Format**

A list of 3 data frames, each with 500 observations and 6 variables:

**class** Factor with 5 levels representing different classes

**X1, X2, X3, X4, X5** Numeric variables with simulated data

---

wine

*Chemical compositions of wine*

---

**Description**

The dataset contains chemical compositions of wines from 3 cultivars

**Usage**

wine

**Format**

A data frame of 178 observations and 14 variables:

**cultivar** The cultivar where the wine is produced

**Ahl, Ash, Alk, Color, Flvds, Hue, Malic, Mg, Nonfp, ODDil, Phnls, Prol, Pthyns** The content of chemical compositions of the wine

# Index

## \* datasets

- celadons, [2](#)
- overlap\_mat\_sim, [4](#)
- sarscov2.us.variants, [6](#)
- sim\_data, [6](#)
- wine, [7](#)

celadons, [2](#)

Gtrans, [2](#), [5](#)

mrp, [3](#), [5](#), [6](#)

overlap\_mat\_sim, [4](#)

points, [5](#)

radialvis3d, [4](#)

sarscov2.us.variants, [6](#)

sim\_data, [6](#)

wine, [7](#)