

Package ‘vcmeta’

April 7, 2026

Type Package

Title Varying Coefficient Meta-Analysis

Version 1.6.0

Description Implements functions for varying coefficient meta-analysis methods. These methods do not assume effect size homogeneity. Subgroup effect size comparisons, general linear effect size contrasts, and linear models of effect sizes based on varying coefficient methods can be used to describe effect size heterogeneity. Varying coefficient meta-analysis methods do not require the unrealistic assumptions of the traditional fixed-effect and random-effects meta-analysis methods. For details see: Statistical Methods for Psychologists, Volume 5, <<https://dgbonett.sites.ucsc.edu/>>.

URL <https://github.com/dgbonett/vcmeta/>,
<https://dgbonett.github.io/vcmeta/>

BugReports <https://github.com/dgbonett/vcmeta/issues>

License GPL-3

Encoding UTF-8

Imports stats, mathjaxr, Rdpack, ggplot2

RoxygenNote 7.3.3

RdMacros Rdpack, mathjaxr

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Douglas G. Bonett [aut, cre],
Robert J. Calin-Jageman [ctb]

Maintainer Douglas G. Bonett <dgbonett@ucsc.edu>

Repository CRAN

Date/Publication 2026-04-07 21:00:02 UTC

Contents

cor.from.t	4
meta.ave.agree	5
meta.ave.cor	6
meta.ave.cor.gen	7
meta.ave.cronbach	9
meta.ave.gen	10
meta.ave.gen.cc	11
meta.ave.gen.log	13
meta.ave.gen.rc	14
meta.ave.mean.ps	16
meta.ave.mean2	17
meta.ave.meanratio.ps	19
meta.ave.meanratio2	20
meta.ave.oddsratio	22
meta.ave.path	23
meta.ave.pbcor	25
meta.ave.plot	26
meta.ave.prop.ps	28
meta.ave.prop2	29
meta.ave.propratio2	30
meta.ave.semipart	32
meta.ave.slope	33
meta.ave.spear	34
meta.ave.stdmean.ps	35
meta.ave.stdmean2	37
meta.ave.var	38
meta.chitest	39
meta.lc.agree	40
meta.lc.gen	42
meta.lc.mean.ps	43
meta.lc.mean1	44
meta.lc.mean2	45
meta.lc.meanratio.ps	47
meta.lc.meanratio2	48
meta.lc.oddsratio	50
meta.lc.prop.ps	51
meta.lc.prop1	52
meta.lc.prop2	53
meta.lc.propratio2	54
meta.lc.stdmean.ps	56
meta.lc.stdmean2	57
meta.lm.agree	58
meta.lm.cor	60
meta.lm.cor.gen	61
meta.lm.cronbach	62
meta.lm.gen	63

meta.lm.mean.ps	65
meta.lm.mean1	66
meta.lm.mean2	67
meta.lm.meanratio.ps	69
meta.lm.meanratio2	70
meta.lm.oddsratio	72
meta.lm.prop.ps	73
meta.lm.prop1	75
meta.lm.prop2	76
meta.lm.propratio2	77
meta.lm.semipart	79
meta.lm.spear	80
meta.lm.stdmean.ps	81
meta.lm.stdmean2	83
meta.sub.cor	84
meta.sub.cronbach	86
meta.sub.gen	87
meta.sub.pbcor	88
meta.sub.semipart	90
meta.sub.spear	91
replicate.agree	93
replicate.cor	94
replicate.cor.gen	95
replicate.cronbach	97
replicate.gen	98
replicate.mean.ps	99
replicate.mean1	102
replicate.mean2	103
replicate.meanratio.ps	105
replicate.meanratio2	107
replicate.oddsratio	109
replicate.pbcor	110
replicate.plot	113
replicate.prop.ps	115
replicate.prop1	116
replicate.prop2	118
replicate.propratio2	119
replicate.slope	121
replicate.spear	122
replicate.stdmean.ps	123
replicate.stdmean2	125
se.agree	127
se.ave.cor.nonover	128
se.ave.cor.over	130
se.ave.mean2.dep	131
se.biphi	132
se.bscor	133
se.cohen	135

se.cor	136
se.mean.ps	137
se.mean2	138
se.meanratio.ps	139
se.meanratio2	140
se.median	141
se.oddsratio	142
se.pbcor	143
se.prop.ps	144
se.prop2	145
se.propratio.ps	146
se.propratio2	147
se.semipart	148
se.slope	149
se.spear	150
se.stdmean.ps	151
se.stdmean2	152
se.tetra	154
stdmean2.from.t	155
table.from.odds	156
table.from.phi	157

Index**159**

cor.from.t	<i>Computes a Pearson correlation between paired measurements from a paired-samples t statistic</i>
------------	---

Description

Computes the Pearson correlation between paired measurements using a reported paired-samples t statistic and other sample information. This correlation estimate is needed in several functions that analyze mean differences and standardized mean differences in paired-samples studies.

Usage

```
cor.from.t(m1, m2, sd1, sd2, t, n)
```

Arguments

m1	estimated mean for measurement 1
m2	estimated mean for measurement 2
sd1	estimated standard deviation for measurement 1
sd2	estimated standard deviation for measurement 2
t	value of paired-samples t-test
n	sample size

Value

Returns the sample Pearson correlation between the two paired measurements

Examples

```
cor.from.t(9.4, 9.8, 1.26, 1.40, 2.27, 30)

# Should return:
#           Estimate
# Correlation:  0.7415
```

meta.ave.agree

Confidence interval for an average G-index agreement coefficient

Description

Computes the estimate, standard error, and confidence interval for an average G-index of agreement from two or more studies. This function assumes that two raters each provide a dichotomous rating to a sample of objects. As a measure of agreement, the G-index is usually preferred to Cohen's kappa.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.agree(alpha, f11, f12, f21, f22, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
f11	vector of frequency counts in cell 1,1
f12	vector of frequency counts in cell 1,2
f21	vector of frequency counts in cell 2,1
f22	vector of frequency counts in cell 2,2
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2022). “Statistical inference for G-indices of agreement.” *Journal of Educational and Behavioral Statistics*, **47**(4), 438–458. doi:10.3102/10769986221088561.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f11 <- c(43, 56, 49)
f12 <- c(7, 2, 9)
f21 <- c(3, 5, 5)
f22 <- c(37, 54, 39)
meta.ave.agree(.05, f11, f12, f21, f22, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average  0.7843 0.03540 0.7149 0.8537
# Study 1  0.7447 0.06884 0.6098 0.8796
# Study 2  0.8512 0.04771 0.7577 0.9447
# Study 3  0.6981 0.06954 0.5618 0.8344
```

meta.ave.cor

Confidence interval for an average Pearson or partial correlation

Description

Computes the estimate, standard error, and confidence interval for an average Pearson or partial correlation from two or more studies. The sample correlations must be all Pearson correlations or all partial correlations. Use the [meta.ave.cor.gen](#) function to meta-analyze any combination of Pearson, partial, or Spearman correlations.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.cor(alpha, n, cor, s, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated correlations
s	number of control variables (set to 0 for Pearson)
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If `bystudy` is `TRUE`, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Meta-analytic interval estimation for bivariate correlations." *Psychological Methods*, **13**(3), 173–181. ISSN 1939-1463, [doi:10.1037/a0012868](https://doi.org/10.1037/a0012868).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(55, 190, 65, 35)
cor <- c(.40, .65, .60, .45)
meta.ave.cor(.05, n, cor, 0, bystudy = TRUE)
```

```
# Should return:
#      Estimate      SE      LL      UL
# Average  0.525 0.05113 0.4177 0.6179
# Study 1   0.400 0.11431 0.1507 0.6015
# Study 2   0.650 0.04201 0.5594 0.7252
# Study 3   0.600 0.08000 0.4171 0.7362
# Study 4   0.450 0.13677 0.1374 0.6811
```

```
n <- c(150, 125, 80)
cor <- c(.396, .454, .427)
meta.ave.cor(.05, n, cor, 2, bystudy = TRUE)
```

```
# Should return:
#      Estimate      SE      LL      UL
# Average  0.4257 0.04603 0.3314 0.5115
```

Description

Computes the estimate, standard error, and confidence interval for an average correlation. Any type of correlation can be used (e.g., Pearson, Spearman, semipartial, factor correlation, gamma coefficient, Somers d coefficient, tetrachoric, point-biserial, biserial, correlation between latent factors, etc.). Each study should have the same type of correlation. If different types of correlations are used, they are assumed to be compatible.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.cor.gen(alpha, cor, se, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor	vector of estimated correlations
se	vector of standard errors
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Meta-analytic interval estimation for bivariate correlations." *Psychological Methods*, **13**(3), 173–181. ISSN 1939-1463, doi:10.1037/a0012868.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
cor <- c(.396, .454, .409, .502, .350)
se <- c(.104, .064, .058, .107, .086)
meta.ave.cor.gen(.05, cor, se, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average  0.4222 0.03853 0.3439 0.4947
# Study 1   0.3960 0.10400 0.1753 0.5788
# Study 2   0.4540 0.06400 0.3201 0.5701
# Study 3   0.4090 0.05800 0.2894 0.5160
# Study 4   0.5020 0.10700 0.2651 0.6817
```

```
# Study 5  0.3500 0.08600 0.1716 0.5061
```

meta.ave.cronbach	<i>Confidence interval for an average Cronbach alpha reliability</i>
-------------------	--

Description

Computes the estimate, standard error, and confidence interval for an average Cronbach reliability coefficient from two or more studies.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.cronbach(alpha, n, rel, r, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
rel	vector of sample reliabilities
r	number of measurements (e.g., items) used to compute each reliability
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2010). "Varying coefficient meta-analytic methods for alpha reliability." *Psychological Methods*, **15**(4), 368–385. ISSN 1939-1463, doi:10.1037/a0020142.

Bonett DG, Wright TA (2015). "Cronbach's alpha reliability: Interval estimation, hypothesis testing, and sample size planning." *Journal of Organizational Behavior*, **36**(1), 3–15. ISSN 08943796, doi:10.1002/job.1960.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(583, 470, 546, 680)
rel <- c(.91, .89, .90, .89)
meta.ave.cronbach(.05, n, rel, 10, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average  0.8975 0.00326 0.8911 0.9039
# Study 1  0.9100 0.00557 0.8986 0.9204
# Study 2  0.8900 0.00758 0.8744 0.9041
# Study 3  0.9000 0.00639 0.8869 0.9119
# Study 4  0.8900 0.00630 0.8771 0.9018
```

meta.ave.gen

Confidence interval for an average of any parameter

Description

Computes the estimate, standard error, and confidence interval for an average of any type of parameter from two or more studies. Each study should have the same type of parameter.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.gen(alpha, est, se, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
est	vector of parameter estimates
se	vector of standard errors
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
est <- c(.022, .751, .421, .287, .052, .146, .562, .904)
se <- c(.124, .464, .102, .592, .864, .241, .252, .318)
meta.ave.gen(.05, est, se, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average 0.393125 0.1561622 0.08705266 0.6991973
# Study 1 0.022000 0.1240000 -0.22103553 0.2650355
# Study 2 0.751000 0.4640000 -0.15842329 1.6604233
# Study 3 0.421000 0.1020000 0.22108367 0.6209163
# Study 4 0.287000 0.5920000 -0.87329868 1.4472987
# Study 5 0.052000 0.8640000 -1.64140888 1.7454089
# Study 6 0.146000 0.2410000 -0.32635132 0.6183513
# Study 7 0.562000 0.2520000 0.06808908 1.0559109
# Study 8 0.904000 0.3180000 0.28073145 1.5272685
```

meta.ave.gen.cc

Confidence interval for an average effect size using a constant coefficient model

Description

Computes the estimate, standard error, and confidence interval for a weighted average effect from two or more studies using the constant coefficient (fixed-effect) meta-analysis model.

Usage

```
meta.ave.gen.cc(alpha, est, se, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
est	vector of parameter estimates
se	vector of standard errors
bystudy	logical to also return each study estimate (TRUE) or not

Details

When the population effect sizes are not identical across studies, the weighted average estimate will be biased regardless of the number of studies or the sample size in each study. The actual confidence interval coverage probability can be much smaller than the specified confidence level when the population effect sizes are not identical across studies.

The constant coefficient model should be used with caution, and the varying coefficient methods in this package are the recommended alternatives. The varying coefficient methods do not require effect-size homogeneity across the selected studies. This constant coefficient meta-analysis function is included in the `vcmeta` package primarily for classroom demonstrations to illustrate the problematic characteristics of the constant coefficient meta-analysis model.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Value

Returns a matrix. The first row is the average estimate across all studies. If `bystudy` is `TRUE`, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Hedges LV, Olkin I (1985). *Statistical methods for meta-analysis*. Academic Press, New York. ISBN 01-233-63802.

Borenstein M, Hedges LV, Higgins JP, Rothstein HR (2009). *Introduction to meta-analysis*. Wiley, New York.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

See Also

meta.ave.gen

Examples

```
est <- c(.022, .751, .421, .287, .052, .146, .562, .904)
se <- c(.124, .464, .102, .592, .864, .241, .252, .318)
meta.ave.gen.cc(.05, est, se, bystudy = TRUE)
```

```
# Should return:
```

```
#           Estimate      SE      LL      UL
# Average  0.3127916 0.06854394 0.17844794 0.4471352
# Study 1   0.0220000 0.12400000 -0.22103553 0.2650355
# Study 2   0.7510000 0.46400000 -0.15842329 1.6604233
# Study 3   0.4210000 0.10200000 0.22108367 0.6209163
# Study 4   0.2870000 0.59200000 -0.87329868 1.4472987
# Study 5   0.0520000 0.86400000 -1.64140888 1.7454089
```

```
# Study 6    0.1460000 0.24100000 -0.32635132 0.6183513
# Study 7    0.5620000 0.25200000  0.06808908 1.0559109
# Study 8    0.9040000 0.31800000  0.28073145 1.5272685
```

meta.ave.gen.log	<i>Exponentiated confidence interval for an average of log-transformed parameters</i>
------------------	---

Description

Computes the estimate, standard error, and confidence interval for an average of any type of log-transformed parameter (e.g., log mean ratio, log proportion ratio, log odds ratio) from two or more studies, but each study must have the same type of parameter.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.gen.log(alpha, est, se, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
est	vector of log-transformed parameter estimates
se	vector of standard errors for log-transformed estimates
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated log effect size (from input)
- SE - standard error of log effect size (from input)
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - exponentiated estimate
- LL - lower limit of the exponentiated confidence interval
- UL - upper limit of the exponentiated confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```

est <- c(.165, .193, .218)
se <- c(.0684, .0921, .0882)
meta.ave.gen.log(.05, est, se, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL exp(Estimate)
# Average  0.192 0.04823578 0.09745962 0.2865404    1.211671
# Study 1   0.165 0.06840000 0.03093846 0.2990615    1.179393
# Study 2   0.193 0.09210000 0.01248732 0.3735127    1.212883
# Study 3   0.218 0.08820000 0.04513118 0.3908688    1.243587
#      exp(LL) exp(UL)
# Average 1.102367 1.331812
# Study 1 1.031422 1.348593
# Study 2 1.012566 1.452829
# Study 3 1.046165 1.478265

```

meta.ave.gen.rc

Confidence interval for an average effect size using a random coefficient model

Description

Computes the estimate, standard error, and confidence interval for a weighted average effect from multiple studies using the random coefficient (random-effects) meta-analysis model. An estimate of effect-size heterogeneity (tau-squared) is also computed.

Usage

```
meta.ave.gen.rc(alpha, est, se, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
est	vector of parameter estimates
se	vector of standard errors
bystudy	logical to also return each study estimate (TRUE) or not

Details

The random coefficient model assumes that the studies in the meta-analysis are a random sample from some definable superpopulation of studies. This assumption is very difficult to justify. When the effect sizes are correlated with the weights (a common occurrence), the weighted average estimate will be biased regardless of the number of studies or the sample size in each study. The actual confidence interval coverage probability can be much smaller than the specified confidence level if the effect sizes are correlated with the weights.

The confidence interval for tau-squared assumes that the true effect sizes in the superpopulation of studies have a normal distribution. A large number of studies, each with a large sample size, is required to assess the superpopulation normality assumption and to accurately estimate tau-squared. The confidence interval for the population tau-squared is hypersensitive to very minor and difficult-to-detect violations of the superpopulation normality assumption.

The random coefficient model should be used with caution, and the varying coefficient methods in this package are the recommended alternatives. The varying coefficient methods allows the effect sizes to differ across studies, but do not require the studies to be a random sample from a definable superpopulation of studies. This random coefficient function is included in the vcmeta package primarily for classroom demonstrations to illustrate the problematic characteristics of the random coefficient meta-analysis model.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Value

Returns a matrix. The first row is the average estimate across all studies. If `bystudy` is true, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Hedges LV, Olkin I (1985). *Statistical methods for meta-analysis*. Academic Press, New York. ISBN 01-233-63802.

Borenstein M, Hedges LV, Higgins JP, Rothstein HR (2009). *Introduction to meta-analysis*. Wiley, New York.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

See Also

[meta.ave.gen](#)

Examples

```
est <- c(.022, .751, .421, .287, .052, .146, .562, .904)
se <- c(.124, .464, .102, .592, .864, .241, .252, .318)
meta.ave.gen.rc(.05, est, se, bystudy = TRUE)

# Should return:
#           Estimate      SE      LL      UL
# Tau-squared 0.03772628 0.0518109 0.00000000 0.1392738
# Average     0.35394806 0.1155239 0.12752528 0.5803708
# Study 1     0.02200000 0.1240000 -0.22103553 0.2650355
# Study 2     0.75100000 0.4640000 -0.15842329 1.6604233
# Study 3     0.42100000 0.1020000 0.22108367 0.6209163
```

```
# Study 4    0.28700000 0.5920000 -0.87329868 1.4472987
# Study 5    0.05200000 0.8640000 -1.64140888 1.7454089
# Study 6    0.14600000 0.2410000 -0.32635132 0.6183513
# Study 7    0.56200000 0.2520000  0.06808908 1.0559109
# Study 8    0.90400000 0.3180000  0.28073145 1.5272685
```

meta.ave.mean.ps	<i>Confidence interval for an average mean difference from paired-samples studies</i>
------------------	---

Description

Computes the estimate, standard error, and confidence interval for an average mean difference from two or more paired-samples studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval for the average effect size. Equality of variances within or across studies is not assumed.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.mean.ps(alpha, m1, m2, sd1, sd2, cor, n, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements
n	vector of sample sizes
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

- Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(53, 60, 53, 57)
m2 <- c(55, 62, 58, 61)
sd1 <- c(4.1, 4.2, 4.5, 4.0)
sd2 <- c(4.2, 4.7, 4.9, 4.8)
cor <- c(.72, .78, .81, .85)
n <- c(30, 50, 30, 70)
meta.ave.mean.ps(.05, m1, m2, sd1, sd2, cor, n, bystudy = TRUE)

# Should return:
#           Estimate      SE      LL      UL      df
# Average   -3.25 0.2340603 -3.713965 -2.7860352 107.66
# Study 1   -2.00 0.5672507 -3.160158 -0.8398421  29.00
# Study 2   -2.00 0.4227434 -2.849535 -1.1504653  49.00
# Study 3   -5.00 0.5335104 -6.091151 -3.9088487  29.00
# Study 4   -4.00 0.3023716 -4.603215 -3.3967852  69.00
```

meta.ave.mean2	<i>Confidence interval for an average mean difference from 2-group studies</i>
----------------	--

Description

Computes the estimate, standard error, and confidence interval for an average mean difference from two or more 2-group studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals. Equality of variances within or across studies is not assumed.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.mean2(alpha, m1, m2, sd1, sd2, n1, n2, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1

sd2 vector of estimated SDs for group 2
n1 vector of group 1 sample sizes
n2 vector of group 2 sample sizes
bystudy logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If `bystudy` is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(7.4, 6.9)
m2 <- c(6.3, 5.7)
sd1 <- c(1.72, 1.53)
sd2 <- c(2.35, 2.04)
n1 <- c(40, 60)
n2 <- c(40, 60)
meta.ave.mean2(.05, m1, m2, sd1, sd2, n1, n2, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL      df
# Average   1.15 0.2830183 0.5904369 1.709563 139.41
# Study 1   1.10 0.4604590 0.1819748 2.018025  71.47
# Study 2   1.20 0.3292036 0.5475574 1.852443 109.42
```

meta.ave.meanratio.ps *Confidence interval for an average mean ratio from paired-samples studies*

Description

Computes the estimate, standard error, and confidence interval for a geometric average mean ratio from two or more paired-samples studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval for the average effect size. Equality of variances within or across studies is not assumed.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.meanratio.ps(alpha, m1, m2, sd1, sd2, cor, n, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements
n	vector of sample sizes
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - exponentiated estimate
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval
- df - degrees of freedom

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(53, 60, 53, 57)
m2 <- c(55, 62, 58, 61)
sd1 <- c(4.1, 4.2, 4.5, 4.0)
sd2 <- c(4.2, 4.7, 4.9, 4.8)
cor <- c(.7, .7, .8, .85)
n <- c(30, 50, 30, 70)
meta.ave.meanratio.ps(.05, m1, m2, sd1, sd2, cor, n, bystudy = TRUE)
```

```
# Should return:
#           Estimate          SE          LL          UL
# Average -0.05695120 0.004350863 -0.06558008 -0.04832231
# Study 1 -0.03704127 0.010871086 -0.05927514 -0.01480740
# Study 2 -0.03278982 0.008021952 -0.04891054 -0.01666911
# Study 3 -0.09015110 0.009779919 -0.11015328 -0.07014892
# Study 4 -0.06782260 0.004970015 -0.07773750 -0.05790769
#           exp(Estimate) exp(LL) exp(UL) df
# Average  0.9446402 0.9365240 0.9528266 103.03
# Study 1  0.9636364 0.9424474 0.9853017  29.00
# Study 2  0.9677419 0.9522663 0.9834691  49.00
# Study 3  0.9137931 0.8956968 0.9322550  29.00
# Study 4  0.9344262 0.9252073 0.9437371  69.00
```

meta.ave.meanratio2 *Confidence interval for an average mean ratio from 2-group studies*

Description

Computes the estimate, standard error, and confidence interval for a geometric average mean ratio from two or more 2-group studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals. Equality of variances within or across studies is not assumed.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.meanratio2(alpha, m1, m2, sd1, sd2, n1, n2, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If `bystudy` is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - exponentiated estimate
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval
- df - degrees of freedom

References

Bonett DG, Price RM (2020). "Confidence intervals for ratios of means and medians." *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(7.4, 6.9)
m2 <- c(6.3, 5.7)
sd1 <- c(1.7, 1.5)
sd2 <- c(2.3, 2.0)
n1 <- c(40, 20)
n2 <- c(40, 20)
meta.ave.meanratio2(.05, m1, m2, sd1, sd2, n1, n2, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL  exp(Estimate)
# Average 0.1759928 0.05738065 0.061437186 0.2905484      1.192429
# Study 1 0.1609304 0.06820167 0.024749712 0.2971110      1.174603
```

```
# Study 2 0.1910552 0.09229675 0.002986265 0.3791242      1.210526
#           exp(LL) exp(UL)   df
# Average 1.063364 1.337161 66.27
# Study 1 1.025059 1.345965 65.70
# Study 2 1.002991 1.461004 31.71
```

meta.ave.oddsratio *Confidence interval for average odds ratio from 2-group studies*

Description

Computes the estimate, standard error, and confidence interval for a geometric average odds ratio from two or more studies.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.oddsratio(alpha, f1, f2, n1, n2, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - the exponentiated estimate
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval

References

Bonett DG, Price RM (2015). “Varying coefficient meta-analysis methods for odds ratios and risk ratios.” *Psychological Methods*, **20**(3), 394–406. ISSN 1939-1463, doi:10.1037/met0000032.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(204, 201, 932, 130, 77)
n2 <- c(106, 103, 415, 132, 83)
f1 <- c(24, 40, 93, 14, 5)
f2 <- c(12, 9, 28, 3, 1)
meta.ave.oddsratio(.05, f1, f2, n1, n2, bystudy = TRUE)

# Should return:
#           Estimate      SE      LL      UL
# Average 0.86211102 0.2512852 0.36960107 1.3546210
# Study 1 0.02581353 0.3700520 -0.69947512 0.7511022
# Study 2 0.91410487 0.3830515 0.16333766 1.6648721
# Study 3 0.41496672 0.2226089 -0.02133877 0.8512722
# Study 4 1.52717529 0.6090858 0.33338907 2.7209615
# Study 5 1.42849472 0.9350931 -0.40425414 3.2612436
#           exp(Estimate) exp(LL) exp(UL)
# Average      2.368155 1.4471572 3.875292
# Study 1      1.026150 0.4968460 2.119335
# Study 2      2.494541 1.1774342 5.284997
# Study 3      1.514320 0.9788873 2.342625
# Study 4      4.605150 1.3956902 15.194925
# Study 5      4.172414 0.6674745 26.081952
```

meta.ave.path

Confidence interval for an average slope coefficient in a general linear model or a path model.

Description

Computes the estimate, standard error, and confidence interval for an average slope coefficient in a general linear model (ANOVA, ANCOVA, multiple regression) or a path model from two or more studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval for the average slope.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.path(alpha, n, slope, se, s, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
slope	vector of slope estimates
se	vector of slope standard errors
s	number of predictors of the response variable
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If `bystudy` is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(75, 85, 250, 160)
slope <- c(1.57, 1.38, 1.08, 1.25)
se <- c(.658, .724, .307, .493)
meta.ave.path(.05, n, slope, se, 2, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL      df
# Average  1.32 0.2844334 0.75994528 1.880055 263.18
# Study 1   1.57 0.6580000 0.25830097 2.881699  72.00
# Study 2   1.38 0.7240000 -0.06026664 2.820267  82.00
# Study 3   1.08 0.3070000 0.47532827 1.684672 247.00
# Study 4   1.25 0.4930000 0.27623174 2.223768 157.00
```

 meta.ave.pbcor

Confidence interval for an average point-biserial correlation

Description

Computes the estimate, standard error, and confidence interval for an average point-biserial correlation from two or more studies. Two types of point-biserial correlations can be meta-analyzed. One type uses an unweighted variance and is appropriate in 2-group experimental designs. The other type uses a weighted variance and is appropriate in 2-group nonexperimental designs with simple random sampling (but not stratified random sampling) within each study. This function requires all point-biserial correlations to be of the same type. Use the meta.ave.cor.gen function to meta-analyze any combination of biserial correlation types.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.pbcor(alpha, m1, m2, sd1, sd2, n1, n2, type, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
type	<ul style="list-style-type: none"> • set to 1 for weighted variance • set to 2 for unweighted variance
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2020). “Point-biserial correlation: Interval estimation, hypothesis testing, meta-analysis, and sample size determination.” *British Journal of Mathematical and Statistical Psychology*, **73**(S1), 113–144. ISSN 0007-1102, doi:10.1111/bmsp.12189.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(21.9, 23.1, 19.8)
m2 <- c(16.1, 17.4, 15.0)
sd1 <- c(3.82, 3.95, 3.67)
sd2 <- c(3.21, 3.30, 3.02)
n1 <- c(40, 30, 24)
n2 <- c(40, 28, 25)
meta.ave.pbcor(.05, m1, m2, sd1, sd2, n1, n2, 2, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average  0.6109 0.04358 0.5183 0.6893
# Study 1   0.6350 0.06061 0.4915 0.7336
# Study 2   0.6165 0.07458 0.4353 0.7346
# Study 3   0.5812 0.08863 0.3648 0.7197

m1 <- c(41.2, 43.2, 49.1, 40.8)
m2 <- c(36.4, 37.1, 35.9, 31.4)
sd1 <- c(4.92, 4.75, 4.87, 5.01)
sd2 <- c(4.35, 4.24, 4.12, 4.87)
n1 <- c(42, 58, 62, 39)
n2 <- c(67, 70, 84, 45)
meta.ave.pbcor(.05, m1, m2, sd1, sd2, n1, n2, 1, bystudy = FALSE)
# Should return:
#      Estimate      SE      LL      UL
# Average  0.6358 0.02701 0.5798 0.6857
```

meta.ave.plot

Forest plot for average effect sizes

Description

Generates a forest plot to visualize effect sizes estimates and overall averages from the meta.ave functions in vcmeta. If the column exp(Estimate) is present, this function plots the exponentiated effect size and CI found in columns exp(Estimate), exp(LL), and exp(UL). Otherwise, this function plots the effect size and CI found in the columns Estimate, LL, and UL.

Usage

```
meta.ave.plot(
  result,
  reference_line = NULL,
  diamond_height = 0.2,
  ggtheme = ggplot2::theme_classic()
)
```

Arguments

- | | |
|----------------|--|
| result | • a result matrix from any of the replicate functions in vcmeta |
| reference_line | • Optional x-value for a reference line. Only applies if focus is 'Difference' or 'Both'. Defaults to NULL, in which case a reference line is not drawn. |
| diamond_height | • Optional height of the diamond representing average effect size. Only applies if focus is 'Average' or 'Both'. Defaults to 0.2 |
| ggtheme | • optional ggplot2 theme object; defaults to theme_classic() |

Value

Returns a ggplot object. If stored, can be further customized via the ggplot API

Examples

```
# Plot results from meta.ave.mean2
m1 <- c(7.4, 6.9)
m2 <- c(6.3, 5.7)
sd1 <- c(1.72, 1.53)
sd2 <- c(2.35, 2.04)
n1 <- c(40, 60)
n2 <- c(40, 60)
result <- meta.ave.mean2(.05, m1, m2, sd1, sd2, n1, n2, bystudy = TRUE)
meta.ave.plot(result, reference_line = 0)

# Plot results from meta.ave.meanratio2
# Note that this plots the exponentiated effect size and CI
m1 <- c(53, 60, 53, 57)
m2 <- c(55, 62, 58, 61)
sd1 <- c(4.1, 4.2, 4.5, 4.0)
sd2 <- c(4.2, 4.7, 4.9, 4.8)
cor <- c(.7, .7, .8, .85)
n <- c(30, 50, 30, 70)
result <- meta.ave.meanratio.ps(.05, m1, m2, sd1, sd2, cor, n, bystudy = TRUE)
myplot <- meta.ave.plot(result, reference_line = 1)
myplot

# Change x-scale to log2
library(ggplot2)
myplot <- myplot + scale_x_continuous(
  trans = 'log2',
```

```

    limits = c(0.75, 1.25),
    name = "Estimated Ratio of Means, Log2 Scale"
  )
myplot

```

meta.ave.prop.ps	<i>Confidence interval for an average proportion difference in paired-samples studies</i>
------------------	---

Description

Computes the estimate, standard error, and confidence interval for an average proportion difference from two or more studies.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.prop.ps(alpha, f11, f12, f21, f22, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
f11	vector of frequency counts in cell 1,1
f12	vector of frequency counts in cell 1,2
f21	vector of frequency counts in cell 2,1
f22	vector of frequency counts in cell 2,2
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2012). "Adjusted wald confidence interval for a difference of binomial proportions based on paired data." *Journal of Educational and Behavioral Statistics*, **37**(4), 479–488. ISSN 1076-9986, doi:[10.3102/1076998611411915](https://doi.org/10.3102/1076998611411915).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f11 <- c(17, 28, 19)
f12 <- c(43, 56, 49)
f21 <- c(3, 5, 5)
f22 <- c(37, 54, 39)
meta.ave.prop.ps(.05, f11, f12, f21, f22, bystudy = TRUE)

# Should return:
#           Estimate      SE      LL      UL
# Average 0.3809573 0.03000016 0.3221581 0.4397565
# Study 1 0.3921569 0.05573055 0.2829270 0.5013867
# Study 2 0.3517241 0.04629537 0.2609869 0.4424614
# Study 3 0.3859649 0.05479300 0.2785726 0.4933572
```

meta.ave.prop2	<i>Confidence interval for an average proportion difference in 2-group studies</i>
----------------	--

Description

Computes the estimate, standard error, and confidence interval for an average proportion difference from two or more studies.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.prop2(alpha, f1, f2, n1, n2, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

- Bonett DG, Price RM (2014). “Meta-analysis methods for risk differences.” *British Journal of Mathematical and Statistical Psychology*, **67**(3), 371–387. ISSN 00071102, doi:10.1111/bmsp.12024.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(204, 201, 932, 130, 77)
n2 <- c(106, 103, 415, 132, 83)
f1 <- c(24, 40, 93, 14, 5)
f2 <- c(12, 9, 28, 3, 1)
meta.ave.prop2(.05, f1, f2, n1, n2, bystudy = TRUE)

# Should return:
#           Estimate      SE      LL      UL
# Average 0.0567907589 0.01441216 2.854345e-02 0.08503807
# Study 1 0.0009888529 0.03870413 -7.486985e-02 0.07684756
# Study 2 0.1067323481 0.04018243 2.797623e-02 0.18548847
# Study 3 0.0310980338 0.01587717 -2.064379e-05 0.06221671
# Study 4 0.0837856174 0.03129171 2.245499e-02 0.14511624
# Study 5 0.0524199553 0.03403926 -1.429577e-02 0.11913568
```

meta.ave.propratio2 *Confidence interval for an average proportion ratio from 2-group studies*

Description

Computes the estimate, standard error, and confidence interval for a geometric average proportion ratio from two or more studies.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.propratio2(alpha, f1, f2, n1, n2, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If `bystudy` is `TRUE`, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - exponentiated estimate
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval

References

Price RM, Bonett DG (2008). “Confidence intervals for a ratio of two independent binomial proportions.” *Statistics in Medicine*, **27**(26), 5497–5508. ISSN 02776715, doi:10.1002/sim.3376.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(204, 201, 932, 130, 77)
n2 <- c(106, 103, 415, 132, 83)
f1 <- c(24, 40, 93, 14, 5)
f2 <- c(12, 9, 28, 3, 1)
meta.ave.propratio2(.05, f1, f2, n1, n2, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average 0.84705608 0.2528742 0.35143178 1.3426804
# Study 1 0.03604257 0.3297404 -0.61023681 0.6823220
# Study 2 0.81008932 0.3442007 0.13546839 1.4847103
# Study 3 0.38746839 0.2065227 -0.01730864 0.7922454
# Study 4 1.49316811 0.6023296 0.31262374 2.6737125
# Study 5 1.50851199 0.9828420 -0.41782290 3.4348469
#   exp(Estimate) exp(LL) exp(UL)
# Average 2.332769 1.4211008 3.829294
# Study 1 1.036700 0.5432222 1.978466
# Study 2 2.248109 1.1450730 4.413686
# Study 3 1.473246 0.9828403 2.208350
# Study 4 4.451175 1.3670071 14.493677
# Study 5 4.520000 0.6584788 31.026662
```

meta.ave.semipart *Confidence interval for an average semipartial correlation*

Description

Computes the estimate, standard error, and confidence interval for an average semipartial correlation from two or more studies.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.semipart(alpha, n, cor, r2, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated semipartial correlations
r2	vector of squared multiple correlations for a model that includes the IV and all control variables
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(128, 97, 210, 217)
cor <- c(.35, .41, .44, .39)
r2 <- c(.29, .33, .36, .39)
meta.ave.semipart(.05, n, cor, r2, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average  0.3975 0.03221 0.3326 0.4587
```

```
# Study 1  0.3500 0.07175 0.2023 0.4821
# Study 2  0.4100 0.07886 0.2447 0.5521
# Study 3  0.4400 0.05147 0.3338 0.5351
# Study 4  0.3900 0.05085 0.2860 0.4849
```

meta.ave.slope	<i>Confidence interval for an average slope coefficient</i>
----------------	---

Description

Computes the estimate, standard error, and confidence interval for an average slope coefficient in a simple linear regression model from two or more studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval for the average slope.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.slope(alpha, n, cor, sdy, sdx, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated correlations
sdy	vector of estimated SDs of y
sdx	vector of estimated SDs of x
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(45, 85, 50, 60)
cor <- c(.24, .35, .16, .20)
sdy <- c(12.2, 14.1, 11.7, 15.9)
sdx <- c(1.34, 1.87, 2.02, 2.37)
meta.ave.slope(.05, n, cor, sdy, sdx, bystudy = TRUE)

# Should return:
#           Estimate      SE      LL      UL      df
# Average 1.7731542 0.4755417 0.8335021 2.712806 149.48
# Study 1 2.1850746 1.3084468 -0.4536599 4.823809 43.00
# Study 2 2.6390374 0.7262491 1.1945573 4.083518 83.00
# Study 3 0.9267327 0.8146126 -0.7111558 2.564621 48.00
# Study 4 1.3417722 0.8456799 -0.3510401 3.034584 58.00
```

meta.ave.spear

Confidence interval for an average Spearman correlation

Description

Computes the estimate, standard error, and confidence interval for an average Spearman correlation from two or more studies. The Spearman correlation is preferred to the Pearson correlation if the relation between the two quantitative variables is monotonic rather than linear or if the bivariate normality assumption is not plausible.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.spear(alpha, n, cor, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated Spearman correlations
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

- Bonett DG (2008). “Meta-analytic interval estimation for bivariate correlations.” *Psychological Methods*, **13**(3), 173–181. ISSN 1939-1463, doi:10.1037/a0012868.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(150, 200, 300, 200, 350)
cor <- c(.14, .29, .16, .21, .23)
meta.ave.spear(.05, n, cor, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average  0.206 0.02944 0.1476 0.2629
# Study 1  0.140 0.08071 -0.0215 0.2944
# Study 2  0.290 0.06628 0.1548 0.4146
# Study 3  0.160 0.05671 0.0469 0.2691
# Study 4  0.210 0.06850 0.0719 0.3402
# Study 5  0.230 0.05136 0.1269 0.3282
```

meta.ave.stdmean.ps *Confidence interval for an average standardized mean difference from paired-samples studies*

Description

Computes the estimate, standard error, and confidence interval for an average standardized mean difference from two or more paired-samples studies. Square root unweighted variances and a single condition standard deviation are options for the standardizer. Equality of variances within or across studies is not assumed.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.stdmean.ps(alpha, m1, m2, sd1, sd2, cor, n, stdzr, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements

n	vector of sample sizes
stdzr	<ul style="list-style-type: none"> • set to 0 for square root unweighted average variance standardizer • set to 1 for measurement 1 SD standardizer • set to 2 for measurement 2 SD standardizer
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If `bystudy` is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(23.9, 24.1)
m2 <- c(25.1, 26.9)
sd1 <- c(1.76, 1.58)
sd2 <- c(2.01, 1.76)
cor <- c(.78, .84)
n <- c(25, 30)
meta.ave.stdmean.ps(.05, m1, m2, sd1, sd2, cor, n, 1, bystudy = TRUE)

# Should return:
#      Estimate      SE      LL      UL
# Average -1.1931 0.15680 -1.5004 -0.8858
# Study 1 -0.6818 0.17738 -1.0295 -0.3342
# Study 2 -1.7722 0.25862 -2.2790 -1.2653

m1 <- c(23.9, 24.1)
m2 <- c(25.1, 26.9)
sd1 <- c(1.76, 1.58)
sd2 <- c(2.01, 1.76)
cor <- c(.78, .84)
n <- c(25, 30)
meta.ave.stdmean.ps(.05, m1, m2, sd1, sd2, cor, n, 0, bystudy = FALSE)

# Should return:
#      Estimate      SE      LL      UL
# Average -1.1335 0.13996 -1.4078 -0.8591
```

meta.ave.stdmean2	<i>Confidence interval for an average standardized mean difference from 2-group studies</i>
-------------------	---

Description

Computes the estimate, standard error, and confidence interval for an average standardized mean difference from two or more 2-group studies. Square root unweighted variances, square root weighted variances, and single group standard deviation are options for the standardizer. Equality of variances within or across studies is not assumed.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.stdmean2(alpha, m1, m2, sd1, sd2, n1, n2, stdzr, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
stdzr	<ul style="list-style-type: none"> • set to 0 for square root unweighted average variance standardizer • set to 1 for group 1 SD standardizer • set to 2 for group 2 SD standardizer • set to 3 for square root weighted average variance standardizer
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated effect size
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(21.9, 23.1, 19.8)
m2 <- c(16.1, 17.4, 15.0)
sd1 <- c(3.82, 3.95, 3.67)
sd2 <- c(3.21, 3.30, 3.02)
n1 <- c(40, 30, 24)
n2 <- c(40, 28, 25)
meta.ave.stdmean2(.05, m1, m2, sd1, sd2, n1, n2, 0, bystudy = TRUE)

# Should return:
#           Estimate      SE      LL      UL
# Average    1.5261 0.17343 1.1862 1.8661
# Study 1    1.6439 0.26290 1.1286 2.1592
# Study 2    1.5661 0.30563 0.9671 2.1652
# Study 3    1.4283 0.32892 0.7836 2.0729

m1 <- c(41.2, 43.2, 49.1, 40.8)
m2 <- c(36.4, 37.1, 35.9, 31.4)
sd1 <- c(4.92, 4.75, 4.87, 5.01)
sd2 <- c(4.35, 4.24, 4.12, 4.87)
n1 <- c(42, 58, 62, 39)
n2 <- c(67, 70, 84, 45)
meta.ave.stdmean2(.05, m1, m2, sd1, sd2, n1, n2, 3, bystudy = FALSE)

# Should return:
#           Estimate      SE      LL      UL
# Average    1.8078 0.11648 1.5795 2.0361
```

meta.ave.var

Confidence interval for an average variance

Description

Computes the estimate and confidence interval for an average variance from two or more studies. The estimated average variance or the upper confidence limit could be used as a variance planning value in sample size planning. The confidence intervals assume normality, and this function is not recommended if the variances have been estimated from leptokurtic data.

For more details, see Chapter 2 of Bonett (2021, Volume 5).

Usage

```
meta.ave.var(alpha, var, n, bystudy = TRUE)
```

Arguments

alpha	alpha level for 1-alpha confidence
var	vector of sample variances
n	vector of sample sizes
bystudy	logical to also return each study estimate (TRUE) or not

Value

Returns a matrix. The first row is the average estimate across all studies. If bystudy is TRUE, there is 1 additional row for each study. The matrix has the following columns:

- Estimate - estimated variance
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
var <- c(26.63, 22.45, 34.12)
n <- c(40, 30, 50)
meta.ave.var(.05, var, n, bystudy = TRUE)

# Should return:
#      Estimate      LL      UL
# Average 27.73333 21.45679 35.84589
# Study 1 26.63000 17.86939 43.90614
# Study 2 22.45000 14.23923 40.57127
# Study 3 34.12000 23.80835 52.98319
```

meta.chitest

Computes a chi-square test of effect-size homogeneity

Description

Computes a chi-square test of effect size homogeneity and p-value using effect-size estimates and their standard errors from two or more studies. This test should not be used to justify the use of a constant coefficient (fixed-effect) meta-analysis.

Usage

```
meta.chitest(est, se)
```

Arguments

```
est          vector of effect-size estimates
se          vector of effect-size standard errors
```

Value

Returns a one-row matrix:

- Q - chi-square test statistic
- df - degrees of freedom
- p - p-value

References

Borenstein M, Hedges LV, Higgins JP, Rothstein HR (2009). *Introduction to meta-analysis*. Wiley, New York.

Examples

```
est <- c(.297, .324, .281, .149)
se <- c(.082, .051, .047, .094)
meta.chitest(est, se)

# Should return:
#   Q df   p
# 2.707 3 0.439
```

```
meta.lc.agree
```

Confidence interval for a linear contrast of G-index coefficients

Description

Computes the estimate, standard error, and adjusted Wald confidence interval for a linear contrast of G-index of agreement coefficients from two or more studies. This function assumes that two raters each provide a dichotomous rating for a sample of objects.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.agree(alpha, f11, f12, f21, f22, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
f11	vector of frequency counts in cell 1,1
f12	vector of frequency counts in cell 1,2
f21	vector of frequency counts in cell 2,1
f22	vector of frequency counts in cell 2,2
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Bonett DG (2022). “Statistical inference for G-indices of agreement.” *Journal of Educational and Behavioral Statistics*, **47**(4), 438–458. doi:10.3102/10769986221088561.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f11 <- c(43, 56, 49)
f12 <- c(7, 2, 9)
f21 <- c(3, 5, 5)
f22 <- c(37, 54, 39)
v <- c(.5, .5, -1)
meta.lc.agree(.05, f11, f12, f21, f22, v)

# Should return:
#      Estimate      SE      L      UL
# Contrast  0.1023 0.07972 -0.054 0.2585
```

`meta.lc.gen`*Confidence interval for a linear contrast of effect sizes*

Description

Computes the estimate, standard error, and confidence interval for a linear contrast of any type of effect size from two or more studies.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.gen(alpha, est, se, v)
```

Arguments

<code>alpha</code>	alpha level for 1-alpha confidence
<code>est</code>	vector of parameter estimates
<code>se</code>	vector of standard errors
<code>v</code>	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
est <- c(.55, .59, .44, .48, .26, .19)
se <- c(.054, .098, .029, .084, .104, .065)
v <- c(.5, .5, -.25, -.25, -.25, -.25)
meta.lc.gen(.05, est, se, v)

# Should return:
#      Estimate      SE      LL      UL
# Contrast 0.2275 0.06755461 0.0950954 0.3599046
```

meta.lc.mean.ps	<i>Confidence interval for a linear contrast of mean differences from paired-samples studies</i>
-----------------	--

Description

Computes the estimate, standard error, and confidence interval for a linear contrast of paired-samples mean differences from two or more studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval. Equality of variances within or across studies is not assumed.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.mean.ps(alpha, m1, m2, sd1, sd2, cor, n, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements
n	vector of sample sizes
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2009). "Meta-analytic interval estimation for standardized and unstandardized mean differences." *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```

m1 <- c(53, 60, 53, 57)
m2 <- c(55, 62, 58, 61)
sd1 <- c(4.1, 4.2, 4.5, 4.0)
sd2 <- c(4.2, 4.7, 4.9, 4.8)
cor <- c(.72, .78, .81, .85)
n <- c(30, 50, 30, 70)
v <- c(.5, .5, -.5, -.5)
meta.lc.mean.ps(.05, m1, m2, sd1, sd2, cor, n, v)

# Should return:
#           Estimate      SE      LL      UL      df
# Contrast      2.5 0.4681205 1.57207 3.42793 107.66

```

 meta.lc.mean1

Confidence interval for a linear contrast of means

Description

Computes the estimate, standard error, and confidence interval for a linear contrast of means from two or more studies. This function will use either an unequal variance (recommended) or an equal variance method. A Satterthwaite adjustment to the degrees of freedom is used with the unequal variance method.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.mean1(alpha, m, sd, n, v, eqvar = FALSE)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	vector of estimated means
sd	vector of estimated standard deviations
n	vector of sample sizes
v	vector of contrast coefficients
eqvar	<ul style="list-style-type: none"> • FALSE for unequal variance method • TRUE for equal variance method

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m <- c(33.5, 37.9, 38.0, 44.1)
sd <- c(3.84, 3.84, 3.65, 4.98)
n <- c(10, 10, 10, 10)
v <- c(.5, .5, -.5, -.5)
meta.lc.mean1(.05, m, sd, n, v, eqvar = FALSE)

# Should return:
#           Estimate      SE      LL      UL      df
# Contrast    -5.35 1.300136 -7.993583 -2.706417 33.52
```

meta.lc.mean2	<i>Confidence interval for a linear contrast of mean differences from 2-group studies</i>
---------------	---

Description

Computes the estimate, standard error, and confidence interval for a linear contrast of 2-group mean differences from two or more studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval. Equality of variances within or across studies is not assumed.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.mean2(alpha, m1, m2, sd1, sd2, n1, n2, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2009). "Meta-analytic interval estimation for standardized and unstandardized mean differences." *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(45.1, 39.2, 36.3, 34.5)
m2 <- c(30.0, 35.1, 35.3, 36.2)
sd1 <- c(10.7, 10.5, 9.4, 11.5)
sd2 <- c(12.3, 12.0, 10.4, 9.6)
n1 <- c(40, 20, 50, 25)
n2 <- c(40, 20, 48, 26)
v <- c(.5, .5, -.5, -.5)
meta.lc.mean2(.05, m1, m2, sd1, sd2, n1, n2, v)

# Should return:
#      Estimate      SE      LL      UL      df
# Contrast      9.95 2.837787 4.343938 15.55606 153.84
```

meta.lc.meanratio.ps *Confidence interval for a log-linear contrast of mean ratios from paired-samples studies*

Description

Computes the estimate, standard error, and confidence interval for a log-linear contrast of paired-sample mean ratios from two or more studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval. Equality of variances within or across studies is not assumed.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.meanratio.ps(alpha, m1, m2, sd1, sd2, cor, n, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements
n	vector of sample sizes
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated log-linear contrast
- SE - standard error of log-linear contrast
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - exponentiated log-linear contrast
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval
- df - degrees of freedom

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(53, 60, 53, 57)
m2 <- c(55, 62, 58, 61)
sd1 <- c(4.1, 4.2, 4.5, 4.0)
sd2 <- c(4.2, 4.7, 4.9, 4.8)
cor <- c(.72, .78, .81, .85)
n <- c(30, 50, 30, 70)
v <- c(.5, .5, -.5, -.5)
meta.lc.meanratio.ps(.05, m1, m2, sd1, sd2, cor, n, v)

# Should return:
#      Estimate      SE      LL      UL exp(Estimate)
# Contrast 0.0440713 0.008265 0.02767047 0.06047213 1.045057
#      exp(LL) exp(UL)  df
# Contrast 1.028057 1.062338 98.38
```

meta.lc.meanratio2 *Confidence interval for a log-linear contrast of mean ratios from 2-group studies*

Description

Computes the estimate, standard error, and confidence interval for a log-linear contrast of 2-group mean ratios from two or more studies. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence interval. Equality of variances within or across studies is not assumed.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.meanratio2(alpha, m1, m2, sd1, sd2, n1, n2, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1

sd2 vector of estimated SDs for group 2
n1 vector of group 1 sample sizes
n2 vector of group 2 sample sizes
v vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated log-linear contrast
- SE - standard error of log-linear contrast
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - exponentiated log-linear contrast
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval
- df - degrees of freedom

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(45.1, 39.2, 36.3, 34.5)
m2 <- c(30.0, 35.1, 35.3, 36.2)
sd1 <- c(10.7, 10.5, 9.4, 11.5)
sd2 <- c(12.3, 12.0, 10.4, 9.6)
n1 <- c(40, 20, 50, 25)
n2 <- c(40, 20, 48, 26)
v <- c(.5, .5, -.5, -.5)
meta.lc.meanratio2(.05, m1, m2, sd1, sd2, n1, n2, v)

# Should return:
#      Estimate      SE      LL      UL  exp(Estimate)
# Contrast 0.2691627 0.07959269 0.1119191 0.4264064      1.308868
#      exp(LL)  exp(UL)      df
# Contrast 1.118422 1.531743 152.87
```

meta.lc.oddsratio *Confidence interval for a log-linear contrast of odds ratios*

Description

Computes the estimate, standard error, and confidence interval for an exponentiated log-linear contrast of odds ratios from two or more studies.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.oddsratio(alpha, f1, f2, n1, n2, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated log-linear contrast
- SE - standard error of log-linear contrast
- exp(Estimate) - exponentiated log-linear contrast
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval

References

Bonett DG, Price RM (2015). “Varying coefficient meta-analysis methods for odds ratios and risk ratios.” *Psychological Methods*, **20**(3), 394–406. ISSN 1939-1463, doi:10.1037/met0000032.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```

n1 <- c(50, 150, 150)
f1 <- c(16, 50, 25)
n2 <- c(50, 150, 150)
f2 <- c(7, 15, 20)
v <- c(1, -1, 0)
meta.lc.oddsratio(.05, f1, f2, n1, n2, v)

# Should return:
#           Estimate      SE exp(Estimate)  exp(LL)  exp(UL)
# Contrast -0.4596883 0.5895438    0.6314805 0.1988563 2.005305

```

meta.lc.prop.ps	<i>Confidence interval for a linear contrast of proportion differences in paired-samples studies</i>
-----------------	--

Description

Computes the estimate, standard error, and adjusted Wald confidence interval for a linear contrast of paired-samples proportion differences from two or more studies.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.prop.ps(alpha, f11, f12, f21, f22, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
f11	vector of frequency counts in cell 1,1
f12	vector of frequency counts in cell 1,2
f21	vector of frequency counts in cell 2,1
f22	vector of frequency counts in cell 2,2
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Bonett DG, Price RM (2012). “Adjusted wald confidence interval for a difference of binomial proportions based on paired data.” *Journal of Educational and Behavioral Statistics*, **37**(4), 479–488. ISSN 1076-9986, doi:10.3102/1076998611411915.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f11 <- c(17, 28, 19)
f12 <- c(43, 56, 49)
f21 <- c(3, 5, 5)
f22 <- c(37, 54, 39)
v <- c(.5, .5, -1)
meta.lc.prop.ps(.05, f11, f12, f21, f22, v)

# Should return:
#           Estimate      SE      LL      UL
# Contrast -0.01436285 0.06511285 -0.1419817 0.113256
```

meta.lc.prop1

Confidence interval for a linear contrast of proportions

Description

Computes the estimate, standard error, and an adjusted Wald confidence interval for a linear contrast of proportions from two or more studies.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.prop1(alpha, f, n, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
f	vector of frequency counts
n	vector of sample sizes
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Price RM, Bonett DG (2004). “An improved confidence interval for a linear function of binomial proportions.” *Computational Statistics and Data Analysis*, **45**(3), 449–456. ISSN 01679473, doi:10.1016/S01679473(03)000070.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f <- c(26, 24, 38)
n <- c(60, 60, 60)
v <- c(-.5, -.5, 1)
meta.lc.prop1(.05, f, n, v)

# Should return:
#           Estimate      SE      LL      UL
# Contrast 0.2119565 0.07602892 0.06294259 0.3609705
```

meta.lc.prop2	<i>Confidence interval for a linear contrast of proportion differences in 2-group studies</i>
---------------	---

Description

Computes the estimate, standard error, and adjusted Wald confidence interval for a linear contrast of 2-group proportion differences from two or more studies.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.prop2(alpha, f1, f2, n1, n2, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the adjusted Wald confidence interval
- UL - upper limit of the adjusted Wald confidence interval

References

Bonett DG, Price RM (2014). “Meta-analysis methods for risk differences.” *British Journal of Mathematical and Statistical Psychology*, **67**(3), 371–387. ISSN 00071102, doi:10.1111/bmsp.12024.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(50, 150, 150)
n2 <- c(50, 150, 150)
f1 <- c(16, 50, 25)
f2 <- c(7, 15, 20)
v <- c(1, -1, 0)
meta.lc.prop2(.05, f1, f2, n1, n2, v)

# Should return:
#           Estimate      SE      LL      UL
# Contrast -0.05466931 0.09401019 -0.2389259 0.1295873
```

meta.lc.propratio2 *Confidence interval for a log-linear contrast of proportion ratios from 2-group studies*

Description

Computes the estimate, standard error, and confidence interval for an exponentiated log-linear contrast of 2-group proportion ratios from two or more studies.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.propratio2(alpha, f1, f2, n1, n2, v)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
v	vector of contrast coefficients

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated log-linear contrast
- SE - standard error of log-linear contrast
- exp(Estimate) - exponentiated log-linear contrast
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval

References

Price RM, Bonett DG (2008). “Confidence intervals for a ratio of two independent binomial proportions.” *Statistics in Medicine*, **27**(26), 5497–5508. ISSN 02776715, doi:10.1002/sim.3376.

Bonett DG, Price RM (2015). “Varying coefficient meta-analysis methods for odds ratios and risk ratios.” *Psychological Methods*, **20**(3), 394–406. ISSN 1939-1463, doi:10.1037/met0000032.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(50, 150, 150)
f1 <- c(16, 50, 25)
n2 <- c(50, 150, 150)
f2 <- c(7, 15, 20)
v <- c(1, -1, 0)
meta.lc.propratio2(.05, f1, f2, n1, n2, v)

# Should return:
#           Estimate      SE exp(Estimate)  exp(LL)  exp(UL)
# Contrast -0.3853396 0.4828218      0.6802196 0.2640405 1.752378
```

meta.lc.stdmean.ps *Confidence interval for a linear contrast of standardized mean differences from paired-samples studies*

Description

Computes the estimate, standard error, and confidence interval for a linear contrast of paired-samples standardized mean differences from two or more studies. Equality of variances within or across studies is not assumed.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.stdmean.ps(alpha, m1, m2, sd1, sd2, cor, n, v, stdzr)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements
n	vector of sample sizes
v	vector of contrast coefficients
stdzr	<ul style="list-style-type: none"> • set to 0 for square root unweighted average variance standardizer • set to 1 for measurement 1 SD standardizer • set to 2 for measurement 2 SD standardizer

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2009). "Meta-analytic interval estimation for standardized and unstandardized mean differences." *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```

m1 <- c(53, 60, 53, 57)
m2 <- c(55, 62, 58, 61)
sd1 <- c(4.1, 4.2, 4.5, 4.0)
sd2 <- c(4.2, 4.7, 4.9, 4.8)
cor <- c(.72, .78, .81, .85)
n <- c(30, 50, 30, 70)
v <- c(.5, .5, -.5, -.5)
meta.lc.stdmean.ps(.05, m1, m2, sd1, sd2, cor, n, v, 0)

# Should return:
#           Estimate      SE      LL      UL
# Contrast  0.5128 0.13468 0.2488 0.7767

```

meta.lc.stdmean2	<i>Confidence interval for a linear contrast of standardized mean differences from 2-group studies</i>
------------------	--

Description

Computes the estimate, standard error, and confidence interval for a linear contrast of 2-group standardized mean differences from two or more studies. Equality of variances within or across studies is not assumed. Use the square root average variance standardizer (`stdzr = 0`) for 2-group experimental designs. Use the square root weighted variance standardizer (`stdzr = 3`) for 2-group nonexperimental designs with simple random sampling. The `stdzr = 1` and `stdzr = 2` options can be used with either experimental or nonexperimental designs.

For more details, see Section 3.2 of Bonett (2021, Volume 5).

Usage

```
meta.lc.stdmean2(alpha, m1, m2, sd1, sd2, n1, n2, v, stdzr)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
v	vector of contrast coefficients
stdzr	<ul style="list-style-type: none"> • set to 0 for square root unweighted average variance standardizer

- set to 1 for group 1 SD standardizer
- set to 2 for group 2 SD standardizer
- set to 3 for square root weighted average variance standardizer

Value

Returns 1-row matrix with the following columns:

- Estimate - estimated linear contrast
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
m1 <- c(45.1, 39.2, 36.3, 34.5)
m2 <- c(30.0, 35.1, 35.3, 36.2)
sd1 <- c(10.7, 10.5, 9.4, 11.5)
sd2 <- c(12.3, 12.0, 10.4, 9.6)
n1 <- c(40, 20, 50, 25)
n2 <- c(40, 20, 48, 26)
v <- c(.5, .5, -.5, -.5)
meta.lc.stdmean2(.05, m1, m2, sd1, sd2, n1, n2, v, 0)

# Should return:
#      Estimate      SE      LL      UL
# Contrast  0.8558 0.27092 0.3248 1.3868
```

meta.lm.agree

Meta-regression analysis for G agreement indices

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a G-index of agreement. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.agree(alpha, f11, f12, f21, f22, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
f11	vector of frequency counts in cell 1,1
f12	vector of frequency counts in cell 1,2
f21	vector of frequency counts in cell 2,1
f22	vector of frequency counts in cell 2,2
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2022). "Statistical inference for G-indices of agreement." *Journal of Educational and Behavioral Statistics*, **47**(4), 438–458. doi:10.3102/10769986221088561.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgonett.sites.ucsc.edu/>.

Examples

```
f11 <- c(40, 20, 25, 30)
f12 <- c(3, 2, 2, 1)
f21 <- c(7, 6, 8, 6)
f22 <- c(26, 25, 13, 25)
x1 <- c(1, 1, 4, 6)
x2 <- c(1, 1, 0, 0)
X <- matrix(cbind(x1, x2), 4, 2)
meta.lm.agree(.05, f11, f12, f21, f22, X)

# Should return:
#   Estimate      SE      z      p      LL      UL
# b0  0.1905 0.38773 0.491 0.623 -0.5695 0.9504
# b1  0.0952 0.07142 1.334 0.182 -0.0447 0.2352
# b2  0.4205 0.32384 1.299 0.194 -0.2142 1.0552
```

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a Fisher-transformed Pearson or partial correlation. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. The correlations are Fisher-transformed and hence the parameter estimates do not have a simple interpretation. However, the hypothesis test results can be used to decide if a population slope is either positive or negative.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.cor(alpha, n, cor, s, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated Pearson or partial correlations
s	number of control variables
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - Standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(55, 190, 65, 35)
cor <- c(.40, .65, .60, .45)
q <- 0
x1 <- c(18, 25, 23, 19)
X <- matrix(x1, 4, 1)
meta.lm.cor(.05, n, cor, q, X)

# Should return:
#   Estimate      SE      z      p      LL      UL
# b0  -0.4783 0.48632 -0.984 0.325 -1.4315 0.4748
# b1   0.0505 0.02128  2.371 0.018  0.0088 0.0922
```

 meta.lm.cor.gen

Meta-regression analysis for correlations

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a Fisher-transformed correlation. The correlations can be of different types (e.g., Pearson, partial, Spearman). The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. This function uses estimated correlations and their standard errors as input. The correlations are Fisher-transformed and hence the parameter estimates do not have a simple interpretation. However, the hypothesis test results can be used to decide if a population slope is either positive or negative.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.cor.gen(alpha, cor, se, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor	vector of estimated correlations
se	number of control variables
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error

- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
cor <- c(.40, .65, .60, .45)
se <- c(.182, .114, .098, .132)
x1 <- c(18, 25, 23, 19)
X <- matrix(x1, 4, 1)
meta.lm.cor.gen(.05, cor, se, X)

# Should return:
#   Estimate      SE      z      p
# b0 -0.4783 0.63428 -0.754 0.451
# b1  0.0505 0.02880  1.753 0.080
```

meta.lm.cronbach

Meta-regression analysis for Cronbach reliabilities

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a log-complement Cronbach reliability. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. The exponentiated slope estimate for a predictor variable describes a multiplicative change in non-reliability associated with a 1-unit increase in that predictor variable, controlling for all other predictor variables in the model.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.cronbach(alpha, n, rel, r, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
rel	vector of estimated reliabilities
r	number of measurements (e.g., items)
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - exponentiated OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the exponentiated confidence interval
- UL - upper limit of the exponentiated confidence interval

References

Bonett DG (2010). “Varying coefficient meta-analytic methods for alpha reliability.” *Psychological Methods*, **15**(4), 368–385. ISSN 1939-1463, doi:10.1037/a0020142.

Bonett DG, Wright TA (2015). “Cronbach’s alpha reliability: Interval estimation, hypothesis testing, and sample size planning.” *Journal of Organizational Behavior*, **36**(1), 3–15. ISSN 08943796, doi:10.1002/job.1960.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(583, 470, 546, 680)
rel <- c(.91, .89, .90, .89)
x1 <- c(1, 0, 0, 0)
X <- matrix(x1, 4, 1)
meta.lm.cronbach(.05, n, rel, 10, X)

# Should return:
#   Estimate      SE      z      p      LL      UL
# b0 -2.2408 0.03676 -60.960 0.000 -2.3129 -2.1688
# b1 -0.1689 0.07205 -2.344 0.019 -0.3101 -0.0277
```

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is any type of effect size. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.gen(alpha, est, se, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
est	vector of parameter estimates
se	vector of standard errors
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
est <- c(4.1, 4.7, 4.9, 5.7, 6.6, 7.3)
se <- c(1.2, 1.5, 1.3, 1.8, 2.0, 2.6)
x1 <- c(10, 20, 30, 40, 50, 60)
x2 <- c(1, 1, 1, 0, 0, 0)
X <- matrix(cbind(x1, x2), 6, 2)
meta.lm.gen(.05, est, se, X)

# Should return:
#      Estimate      SE      z      p      LL      UL
# b0  3.5333333  4.37468253  0.808  0.419 -5.0408869  12.1075535
# b1  0.0600000  0.09058835  0.662  0.508 -0.1175499  0.2375499
# b2 -0.1666667  2.81139793 -0.059  0.953 -5.6769054  5.3435720
```

meta.lm.mean.ps	<i>Meta-regression analysis for paired-samples mean differences</i>
-----------------	---

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a paired-samples mean difference. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.mean.ps(alpha, m1, m2, sd1, sd2, cor, n, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements
n	vector of sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- t - t-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2009). "Meta-analytic interval estimation for standardized and unstandardized mean differences." *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:[10.1037/a0016619](https://doi.org/10.1037/a0016619).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(65, 30, 29, 45, 50)
cor <- c(.87, .92, .85, .90, .88)
m1 <- c(20.1, 20.5, 19.3, 21.5, 19.4)
m2 <- c(10.4, 10.2, 8.5, 10.3, 7.8)
sd1 <- c(9.3, 9.9, 10.1, 10.5, 9.8)
sd2 <- c(7.8, 8.0, 8.4, 8.1, 8.7)
x1 <- c(2, 3, 3, 4, 4)
X <- matrix(x1, 5, 1)
meta.lm.mean.ps(.05, m1, m2, sd1, sd2, cor, n, X)

# Should return:
#   Estimate      SE      t      p      LL      UL  df
# b0      8.00 1.2491990 6.404 0.000 5.5378833 10.462117 217
# b1      0.85 0.3796019 2.239 0.026 0.1018213  1.598179 217
```

 meta.lm.mean1

Meta-regression analysis for 1-group means

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a mean from one group. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.mean1(alpha, m, sd, n, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
m	vector of estimated means
sd	vector of estimated standard deviations
n	vector of sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error

- t - t-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(25, 15, 30, 25, 40)
m <- c(20.1, 20.5, 19.3, 21.5, 19.4)
sd <- c(10.4, 10.2, 8.5, 10.3, 7.8)
x1 <- c(1, 1, 0, 0, 0)
x2 <- c(12, 13, 11, 13, 15)
X <- matrix(cbind(x1, x2), 5, 2)
meta.lm.mean1(.05, m, sd, n, X)

# Should return:
#      Estimate      SE      t      p      LL      UL      df
# b0 19.45490196 6.7873381 2.866 0.005 6.0288763 32.880928 132
# b1  0.25686275 1.9834765 0.130 0.897 -3.6666499  4.180375 132
# b2  0.04705882 0.5064693 0.093 0.926 -0.9547876  1.048905 132
```

meta.lm.mean2

Meta-regression analysis for 2-group mean differences

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a 2-group mean difference. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.mean2(alpha, m1, m2, sd1, sd2, n1, n2, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- t - t-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2009). "Meta-analytic interval estimation for standardized and unstandardized mean differences." *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(65, 30, 29, 45, 50)
n2 <- c(67, 32, 31, 20, 52)
m1 <- c(31.1, 32.3, 31.9, 29.7, 33.0)
m2 <- c(34.1, 33.2, 30.6, 28.7, 26.5)
sd1 <- c(7.1, 8.1, 7.8, 6.8, 7.6)
sd2 <- c(7.8, 7.3, 7.5, 7.2, 6.8)
x1 <- c(4, 6, 7, 7, 8)
x2 <- c(1, 0, 0, 0, 1)
X <- matrix(cbind(x1, x2), 5, 2)
meta.lm.mean2(.05, m1, m2, sd1, sd2, n1, n2, X)

# Should return:
#   Estimate      SE      t      p      LL      UL      df
# b0  -15.20 3.4097610 -4.458 0.000 -21.902415 -8.497585 418
# b1   2.35 0.4821523  4.874 0.000  1.402255  3.297745 418
```

```
# b2      2.85 1.5358109  1.856 0.064  -0.168875  5.868875 418
```

```
meta.lm.meanratio.ps  Meta-regression analysis for paired-samples log mean ratios
```

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a paired-samples log mean ratio. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. The exponentiated slope estimate for a predictor variable describes a multiplicative change in the mean ratio associated with a 1-unit increase in that predictor variable, controlling for all other predictor variables in the model.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.meanratio.ps(alpha, m1, m2, sd1, sd2, cor, n, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements
n	vector of sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - the exponentiated estimate
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(65, 30, 29, 45, 50)
cor <- c(.87, .92, .85, .90, .88)
m1 <- c(20.1, 20.5, 19.3, 21.5, 19.4)
m2 <- c(10.4, 10.2, 8.5, 10.3, 7.8)
sd1 <- c(9.3, 9.9, 10.1, 10.5, 9.8)
sd2 <- c(7.8, 8.0, 8.4, 8.1, 8.7)
x1 <- c(2, 3, 3, 4, 4)
X <- matrix(x1, 5, 1)
meta.lm.meanratio.ps(.05, m1, m2, sd1, sd2, cor, n, X)

# Should return:
#      Estimate      SE      LL      UL      z      p
# b0 0.50957008 0.1300068 0.254773424 0.7643667 3.920 0.000
# b1 0.07976238 0.04133414 -0.001251047 0.1607758 1.920 0.054
#      exp(Estimate) exp(LL) exp(UL)
# b0          1.664575 1.2901693 2.147634
# b1          1.083030 0.9987497 1.174422
```

meta.lm.meanratio2 *Meta-regression analysis for 2-group log mean ratios*

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a 2-group log mean ratio. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. The exponentiated slope estimate for a predictor variable describes a multiplicative change in the mean ratio associated with a 1-unit increase in that predictor variable, controlling for all other predictor variables in the model.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.meanratio2(alpha, m1, m2, sd1, sd2, n1, n2, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - the exponentiated estimate
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval

References

Bonett DG, Price RM (2020). "Confidence intervals for ratios of means and medians." *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(65, 30, 29, 45, 50)
n2 <- c(67, 32, 31, 20, 52)
m1 <- c(31.1, 32.3, 31.9, 29.7, 33.0)
m2 <- c(34.1, 33.2, 30.6, 28.7, 26.5)
sd1 <- c(7.1, 8.1, 7.8, 6.8, 7.6)
sd2 <- c(7.8, 7.3, 7.5, 7.2, 6.8)
x1 <- c(4, 6, 7, 7, 8)
X <- matrix(x1, 5, 1)
meta.lm.meanratio2(.05, m1, m2, sd1, sd2, n1, n2, X)

# Should return:
```

```

#      Estimate      SE      LL      UL      z p
# b0 -0.40208954 0.09321976 -0.58479692 -0.21938216 -4.313 0
# b1  0.06831545 0.01484125  0.03922712  0.09740377  4.603 0
#   exp(Estimate) exp(LL)  exp(UL)
# b0      0.6689208 0.557219 0.8030148
# b1      1.0707030 1.040007 1.1023054

```

meta.lm.oddsratio *Meta-regression analysis for odds ratios*

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a log odds ratio. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. The exponentiated slope estimate for a predictor variable describes a multiplicative change in the odds ratio associated with a 1-unit increase in that predictor variable, controlling for all other predictor variables in the model.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.oddsratio(alpha, f1, f2, n1, n2, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

- exp(Estimate) - the exponentiated estimate
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval

References

Bonett DG, Price RM (2015). “Varying coefficient meta-analysis methods for odds ratios and risk ratios.” *Psychological Methods*, **20**(3), 394–406. ISSN 1939-1463, doi:10.1037/met0000032.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(204, 201, 932, 130, 77)
n2 <- c(106, 103, 415, 132, 83)
f1 <- c(24, 40, 93, 14, 5)
f2 <- c(12, 9, 28, 3, 1)
x1 <- c(4, 4, 5, 3, 26)
x2 <- c(1, 1, 1, 0, 0)
X <- matrix(cbind(x1, x2), 5, 2)
meta.lm.oddsratio(.05, f1, f2, n1, n2, X)

# Should return:
#      Estimate      SE      z      p      LL      UL
# b0  1.541895013 0.69815801  2.209 0.027  0.1735305 2.91025958
# b1  -0.004417932 0.04840623 -0.091 0.927 -0.0992924 0.09045653
# b2  -1.071122269 0.60582695 -1.768 0.077 -2.2585213 0.11627674
#   exp(Estimate) exp(LL) exp(UL)
# b0    4.6734381  1.1894969 18.361564
# b1    0.9955918  0.9054779  1.094674
# b2    0.3426238  0.1045049  1.123307
```

meta.lm.prop.ps

Meta-regression analysis for paired-samples proportion differences

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a paired-samples proportion difference. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.prop.ps(alpha, f11, f12, f21, f22, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
f11	vector of frequency counts in cell 1,1
f12	vector of frequency counts in cell 1,2
f21	vector of frequency counts in cell 2,1
f22	vector of frequency counts in cell 2,2
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2012). “Adjusted wald confidence interval for a difference of binomial proportions based on paired data.” *Journal of Educational and Behavioral Statistics*, **37**(4), 479–488. ISSN 1076-9986, doi:10.3102/1076998611411915.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f11 <- c(40, 20, 25, 30)
f12 <- c(3, 2, 2, 1)
f21 <- c(7, 6, 8, 6)
f22 <- c(26, 25, 13, 25)
x1 <- c(1, 1, 4, 6)
x2 <- c(1, 1, 0, 0)
X <- matrix(cbind(x1, x2), 4, 2)
meta.lm.prop.ps(.05, f11, f12, f21, f22, X)

# Should return:
#      Estimate      SE      z      p      LL      UL
# b0 -0.21113402 0.21119823 -1.000 0.317 -0.62507494 0.20280690
# b1  0.02185567 0.03861947  0.566 0.571 -0.05383711 0.09754845
# b2  0.12575138 0.17655623  0.712 0.476 -0.22029248 0.47179524
```

`meta.lm.prop1`*Meta-regression analysis for 1-group proportions*

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a proportion from one group. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.prop1(alpha, f, n, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
f	vector of frequency counts
n	vector of sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f <- c(38, 26, 24, 15, 45, 38)
n <- c(80, 60, 70, 50, 180, 200)
x1 <- c(10, 15, 18, 22, 24, 30)
X <- matrix(x1, 6, 1)
meta.lm.prop1(.05, f, n, X)
```

```
# Should return:
```

#	Estimate	SE	z	p	LL	UL
# b0	0.63262816	0.06845707	9.241	0	0.49845477	0.766801546
# b1	-0.01510565	0.00290210	-5.205	0	-0.02079367	-0.009417641

 meta.lm.prop2

Meta-regression analysis for 2-group proportion differences

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a 2-group proportion difference. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.prop2(alpha, f1, f2, n1, n2, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG, Price RM (2014). “Meta-analysis methods for risk differences.” *British Journal of Mathematical and Statistical Psychology*, **67**(3), 371–387. ISSN 00071102, doi:10.1111/bmsp.12024.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f1 <- c(24, 40, 93, 14, 5)
f2 <- c(12, 9, 28, 3, 1)
n1 <- c(204, 201, 932, 130, 77)
n2 <- c(106, 103, 415, 132, 83)
x1 <- c(4, 4, 5, 3, 26)
x2 <- c(1, 1, 1, 0, 0)
X <- matrix(cbind(x1, x2), 5, 2)
meta.lm.prop2(.05, f1, f2, n1, n2, X)

# Should return:
#      Estimate      SE      z      p      LL      UL
# b0  0.089756283 0.034538077  2.599 0.009  0.02206290 0.157449671
# b1 -0.001447968 0.001893097 -0.765 0.444 -0.00515837 0.002262434
# b2 -0.034670988 0.034125708 -1.016 0.310 -0.10155615 0.032214170
```

meta.lm.propratio2 *Meta-regression analysis for 2-group proportion ratios*

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a 2-group log proportion ratio. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. The exponentiated slope estimate for a predictor variable describes a multiplicative change in the proportion ratio associated with a 1-unit increase in that predictor variable, controlling for all other predictor variables in the model.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.propratio2(alpha, f1, f2, n1, n2, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of group 1 frequency counts
f2	vector of group 2 frequency counts
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- exp(Estimate) - the exponentiated estimate
- exp(LL) - lower limit of the exponentiated confidence interval
- exp(UL) - upper limit of the exponentiated confidence interval

References

Price RM, Bonett DG (2008). “Confidence intervals for a ratio of two independent binomial proportions.” *Statistics in Medicine*, **27**(26), 5497–5508. ISSN 02776715, doi:10.1002/sim.3376.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(204, 201, 932, 130, 77)
n2 <- c(106, 103, 415, 132, 83)
f1 <- c(24, 40, 93, 14, 5)
f2 <- c(12, 9, 28, 3, 1)
x1 <- c(4, 4, 5, 3, 26)
x2 <- c(1, 1, 1, 0, 0)
X <- matrix(cbind(x1, x2), 5, 2)
meta.lm.propratio2(.05, f1, f2, n1, n2, X)

# Should return:
#      Estimate      SE      z      p      LL      UL
# b0  1.4924887636 0.69172794  2.158 0.031  0.13672691 2.84825062
# b1  0.0005759509 0.04999884  0.012 0.991 -0.09741998 0.09857188
# b2 -1.0837844594 0.59448206 -1.823 0.068 -2.24894789 0.08137897
#      exp(Estimate)  exp(LL)  exp(UL)
# b0      4.4481522  1.1465150 17.257565
# b1      1.0005761  0.9071749  1.103594
# b2      0.3383128  0.1055102  1.084782
```

`meta.lm.semipart`*Meta-regression analysis for semipartial correlations*

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a Fisher-transformed semipartial correlation. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. The correlations are Fisher-transformed and hence the parameter estimates do not have a simple interpretation. However, the hypothesis test results can be used to decide if a population slope is either positive or negative.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.semipart(alpha, n, cor, r2, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated semipartial correlations
r2	vector of squared multiple correlations for a model that includes the IV and all control variables
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(128, 97, 210, 217)
cor <- c(.35, .41, .44, .39)
r2 <- c(.29, .33, .36, .39)
x1 <- c(18, 25, 23, 19)
X <- matrix(x1, 4, 1)
meta.lm.semipart(.05, n, cor, r2, X)

# Should return:
#   Estimate      SE      z      p      LL      UL
# b0  0.1970 0.30618 0.643 0.520 -0.4031 0.7971
# b1  0.0106 0.01457 0.725 0.468 -0.0180 0.0391
```

 meta.lm.spear

Meta-regression analysis for Spearman correlations

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a Fisher-transformed Spearman correlation. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. The correlations are Fisher-transformed and hence the parameter estimates do not have a simple interpretation. However, the hypothesis test results can be used to decide if a population slope is either positive or negative.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.spear(alpha, n, cor, X)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated Spearman correlations
X	matrix of predictor values

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value

- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(150, 200, 300, 200, 350)
cor <- c(.14, .29, .16, .21, .23)
x1 <- c(18, 25, 23, 19, 24)
X <- matrix(x1, 5, 1)
meta.lm.spear(.05, n, cor, X)

# Should return:
#   Estimate      SE      z      p      LL      UL
# b0 -0.0892 0.26686 -0.334 0.738 -0.6122 0.4338
# b1  0.0137 0.01190  1.152 0.249 -0.0096 0.0370
```

meta.lm.stdmean.ps *Meta-regression analysis for paired-samples standardized mean differences*

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a paired-samples standardized mean difference. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.stdmean.ps(alpha, m1, m2, sd1, sd2, cor, n, X, stdzr)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for measurement 1
m2	vector of estimated means for measurement 2
sd1	vector of estimated SDs for measurement 1
sd2	vector of estimated SDs for measurement 2
cor	vector of estimated correlations for paired measurements

n	vector of sample sizes
X	matrix of predictor values
stdzr	<ul style="list-style-type: none"> • set to 0 for square root unweighted average variance standardizer • set to 1 for measurement 1 SD standardizer • set to 2 for measurement 2 SD standardizer

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(65, 30, 29, 45, 50)
cor <- c(.87, .92, .85, .90, .88)
m1 <- c(20.1, 20.5, 19.3, 21.5, 19.4)
m2 <- c(10.4, 10.2, 8.5, 10.3, 7.8)
sd1 <- c(9.3, 9.9, 10.1, 10.5, 9.8)
sd2 <- c(7.8, 8.0, 8.4, 8.1, 8.7)
x1 <- c(2, 3, 3, 4, 4)
X <- matrix(x1, 5, 1)
meta.lm.stdmean.ps(.05, m1, m2, sd1, sd2, cor, n, X, 0)

# Should return:
#   Estimate      SE      z      p      LL      UL
# b0  1.0174 0.25362 4.012 0.000 0.5203 1.5145
# b1  0.0498 0.07755 0.642 0.521 -0.1022 0.2018
```

 meta.lm.stdmean2

Meta-regression analysis for 2-group standardized mean differences

Description

This function estimates the intercept and slope coefficients in a meta-regression model where the dependent variable is a 2-group standardized mean difference. The estimates are OLS estimates with robust standard errors that accommodate residual heteroscedasticity. Use the unweighted variance standardizer for 2-group experimental designs, and use the weighted variance standardizer for 2-group nonexperimental designs. A single-group standardizer can be used in either experimental or nonexperimental designs.

For more details, see Section 3.4 of Bonett (2021, Volume 5).

Usage

```
meta.lm.stdmean2(alpha, m1, m2, sd1, sd2, n1, n2, X, stdzr)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
X	matrix of predictor values
stdzr	<ul style="list-style-type: none"> • set to 0 for square root unweighted average variance standardizer • set to 1 for group 1 SD standardizer • set to 2 for group 2 SD standardizer • set to 3 for square root weighted average variance standardizer

Value

Returns a matrix. The first row is for the intercept with one additional row per predictor. The matrix has the following columns:

- Estimate - OLS estimate
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

- Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n1 <- c(65, 30, 29, 45, 50)
n2 <- c(67, 32, 31, 20, 52)
m1 <- c(31.1, 32.3, 31.9, 29.7, 33.0)
m2 <- c(34.1, 33.2, 30.6, 28.7, 26.5)
sd1 <- c(7.1, 8.1, 7.8, 6.8, 7.6)
sd2 <- c(7.8, 7.3, 7.5, 7.2, 6.8)
x1 <- c(4, 6, 7, 7, 8)
X <- matrix(x1, 5, 1)
meta.lm.stdmean2(.05, m1, m2, sd1, sd2, n1, n2, X, 0)

# Should return:
#   Estimate      SE      z p      LL      UL
# b0   -1.6988 0.41080 -4.135 0 -2.5040 -0.8937
# b1    0.2872 0.06498  4.419 0  0.1598  0.4145
```

meta.sub.cor

Confidence interval for a subgroup difference in average Pearson or partial correlations

Description

Computes the estimate, standard error, and confidence interval for a difference in average Pearson or partial correlations for two mutually exclusive subgroups of studies. Each subgroup can have one or more studies. All of the correlations must be either Pearson correlations or partial correlations.

For more details, see Section 3.3 of Bonett (2021, Volume 5).

Usage

```
meta.sub.cor(alpha, n, cor, s, group)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated correlations
s	number of control variables (set to 0 for Pearson)
group	vector of group indicators:

- 1 for set A
- 2 for set B
- 0 to ignore

Value

Returns a matrix with three rows:

- Row 1 - estimate for Set A
- Row 2 - estimate for Set B
- Row 3 - estimate for difference, Set A - Set B

The columns are:

- Estimate - estimated average correlation or difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Meta-analytic interval estimation for bivariate correlations." *Psychological Methods*, **13**(3), 173–181. ISSN 1939-1463, [doi:10.1037/a0012868](https://doi.org/10.1037/a0012868).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(55, 190, 65, 35)
cor <- c(.40, .65, .60, .45)
group <- c(1, 1, 2, 0)
meta.sub.cor(.05, n, cor, 0, group)

# Should return:
#           Estimate      SE      LL      UL
# Set A:           0.525 0.06195 0.3932 0.6357
# Set B:           0.600 0.08128 0.4171 0.7362
# Set A - Set B:  -0.075 0.10220 -0.2645 0.1387
```

meta.sub.cronbach	<i>Confidence interval for a subgroup difference in average Cronbach reliabilities</i>
-------------------	--

Description

Computes the estimate, standard error, and confidence interval for a difference in average Cronbach reliability coefficients for two mutually exclusive subgroups of studies. Each set can have one or more studies. The number of measurements used to compute the sample reliability coefficient is assumed to be the same for all studies.

For more details, see Section 3.3 of Bonett (2021, Volume 5).

Usage

```
meta.sub.cronbach(alpha, n, rel, r, group)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
rel	vector of estimated Cronbach reliabilities
r	number of measurements (e.g., items)
group	vector of group indicators: <ul style="list-style-type: none"> • 1 for set A • 2 for set B • 0 to ignore

Value

Returns a matrix with three rows:

- Row 1 - estimate for Set A
- Row 2 - estimate for Set B
- Row 3 - estimate for difference, Set A - Set B

The columns are:

- Estimate - estimated average correlation or difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2010). “Varying coefficient meta-analytic methods for alpha reliability.” *Psychological Methods*, **15**(4), 368–385. ISSN 1939-1463, doi:10.1037/a0020142.

Bonett DG, Wright TA (2015). “Cronbach’s alpha reliability: Interval estimation, hypothesis testing, and sample size planning.” *Journal of Organizational Behavior*, **36**(1), 3–15. ISSN 08943796, doi:10.1002/job.1960.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(120, 170, 150, 135)
rel <- c(.891, .873, .734, .715)
group <- c(1, 1, 2, 2)
meta.sub.cronbach(.05, n, rel, 10, group)

# Should return:
#               Estimate      SE      LL      UL
# Set A:         0.8820 0.01052 0.8605 0.9016
# Set B:         0.7245 0.02474 0.6738 0.7706
# Set A - Set B: 0.1575 0.02689 0.1066 0.2119
```

meta.sub.gen

Confidence interval for a subgroup difference in average effect size

Description

Computes the estimate, standard error, and confidence interval for a difference in the average effect size (any type of effect size) for two mutually exclusive subgroups of studies. Each subgroup can have one or more studies. All of the effects sizes should be compatible.

For more details, see Section 3.3 of Bonett (2021, Volume 5).

Usage

```
meta.sub.gen(alpha, est, se, group)
```

Arguments

alpha	alpha level for 1-alpha confidence
est	vector of estimated effect sizes
se	vector of effect size standard errors
group	vector of group indicators: <ul style="list-style-type: none"> • 1 for set A • 2 for set B • 0 to ignore

Value

Returns a matrix with three rows:

- Row 1 - estimate for Set A
- Row 2 - estimate for Set B
- Row 3 - estimate for difference, Set A - Set B

The columns are:

- Estimate - estimated average effect size or difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
est <- c(.920, .896, .760, .745)
se <- c(.098, .075, .069, .055)
group <- c(1, 1, 2, 2)
meta.sub.gen(.05, est, se, group)

# Should return:
#           Estimate      SE      LL      UL
# Set A:      0.9080 0.06170292 0.787064504 1.0289355
# Set B:      0.7525 0.04411916 0.666028042 0.8389720
# Set A - Set B: 0.1555 0.07585348 0.006829917 0.3041701
```

meta.sub.pbcor

Confidence interval for a subgroup difference in average point-biserial correlations

Description

Computes the estimate, standard error, and confidence interval for a difference in average point-biserial correlations for two mutually exclusive subgroups of studies. Each subgroup can have one or more studies. Two types of point-biserial correlations can be analyzed. One type uses an unweighted variance and is recommended for 2-group experimental designs. The other type uses a weighted variance and is recommended for 2-group nonexperimental designs with simple random sampling (but not stratified random sampling) within each study. Equality of variances within or across studies is not assumed.

For more details, see Section 3.3 of Bonett (2021, Volume 5).

Usage

```
meta.sub.pbcor(alpha, m1, m2, sd1, sd2, n1, n2, type, group)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	vector of estimated means for group 1
m2	vector of estimated means for group 2
sd1	vector of estimated SDs for group 1
sd2	vector of estimated SDs for group 2
n1	vector of group 1 sample sizes
n2	vector of group 2 sample sizes
type	<ul style="list-style-type: none"> • set to 1 for weighted variance • set to 2 for unweighted variance
group	vector of group indicators: <ul style="list-style-type: none"> • 1 for set A • 2 for set B • 0 to ignore

Value

Returns a matrix with three rows:

- Row 1 - estimate for Set A
- Row 2 - estimate for Set B
- Row 3 - estimate for difference, Set A - Set B

The columns are:

- Estimate - estimated average correlation or difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2020). "Point-biserial correlation: Interval estimation, hypothesis testing, meta-analysis, and sample size determination." *British Journal of Mathematical and Statistical Psychology*, **73**(S1), 113–144. ISSN 0007-1102, doi:10.1111/bmsp.12189.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```

m1 <- c(45.1, 39.2, 36.3, 34.5)
m2 <- c(30.0, 35.1, 35.3, 36.2)
sd1 <- c(10.7, 10.5, 9.4, 11.5)
sd2 <- c(12.3, 12.0, 10.4, 9.6)
n1 <- c(40, 20, 50, 25)
n2 <- c(40, 20, 48, 26)
group <- c(1, 1, 2, 2)
meta.sub.pbcor(.05, m1, m2, sd1, sd2, n1, n2, 2, group)

# Should return:
#           Estimate      SE      LL      UL
# Set A:      0.3634 0.08553  0.1855 0.5182
# Set B:     -0.0148 0.08741 -0.1840 0.1553
# Set A - Set B: 0.3782 0.12229  0.1321 0.6076

```

meta.sub.semipart	<i>Confidence interval for a subgroup difference in average semipartial correlations</i>
-------------------	--

Description

Computes the estimate, standard error, and confidence interval for a difference in average semipartial correlations for two subgroups of mutually exclusive studies. Each subgroup can have one or more studies.

For more details, see Section 3.3 of Bonett (2021, Volume 5).

Usage

```
meta.sub.semipart(alpha, n, cor, r2, group)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated semi-partial correlations
r2	vector of squared multiple correlations for a model that includes the IV and all control variables
group	vector of group indicators: <ul style="list-style-type: none"> • 1 for set A • 2 for set B • 0 to ignore

Value

Returns a matrix with three rows:

- Row 1 - estimate for Set A
- Row 2 - estimate for Set B
- Row 3 - estimate for difference, Set A - Set B

The columns are:

- Estimate - estimated average correlation or difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(55, 190, 65, 35)
cor <- c(.40, .65, .60, .45)
r2 <- c(.25, .41, .43, .39)
group <- c(1, 1, 2, 0)
meta.sub.semipart(.05, n, cor, r2, group)

# Should return:
#           Estimate      SE      LL      UL
# Set A:      0.525 0.05955  0.3987 0.6318
# Set B:      0.600 0.07931  0.4221 0.7334
# Set A - Set B: -0.075 0.09918 -0.2587 0.1325
```

meta.sub.spear	<i>Confidence interval for a subgroup difference in average Spearman correlations</i>
----------------	---

Description

Computes the estimate, standard error, and confidence interval for a difference in average Spearman correlations for two mutually exclusive subgroups of studies. Each subgroup can have one or more studies.

For more details, see Section 3.3 of Bonett (2021, Volume 5).

Usage

```
meta.sub.spear(alpha, n, cor, group)
```

Arguments

alpha	alpha level for 1-alpha confidence
n	vector of sample sizes
cor	vector of estimated Spearman correlations
group	vector of group indicators: <ul style="list-style-type: none"> • 1 for set A • 2 for set B • 0 to ignore

Value

Returns a matrix with three rows:

- Row 1 - estimate for Set A
- Row 2 - estimate for Set B
- Row 3 - estimate for difference, Set A - Set B

The columns are:

- Estimate - estimated average correlation or difference
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2008). "Meta-analytic interval estimation for bivariate correlations." *Psychological Methods*, **13**(3), 173–181. ISSN 1939-1463, [doi:10.1037/a0012868](https://doi.org/10.1037/a0012868).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
n <- c(55, 190, 65, 35)
cor <- c(.40, .65, .60, .45)
group <- c(1, 1, 2, 0)
meta.sub.spear(.05, n, cor, group)

# Should return:
#           Estimate      SE      LL      UL
# Set A:      0.525 0.06484  0.3866 0.6403
# Set B:      0.600 0.08829  0.3992 0.7459
# Set A - Set B: -0.075 0.10954 -0.2761 0.1565
```

replicate.agree	<i>Compares and combines G-index of agreement in original and follow-up studies</i>
-----------------	---

Description

This function computes adjusted Wald confidence intervals from an original study and a follow-up study where the effect size is a G-index of agreement. Adjusted Wald confidence intervals for the difference and average effect size are also computed. The confidence level for the difference is $1 - 2 \cdot \alpha$, which is recommended for equivalence testing. As a measurement of agreement, the G-index is usually preferred to Cohen's kappa.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.agree(alpha, f1, n1, f2, n2, k)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	number of objects rated in agreement in original study
n1	sample size (number of objects) in original study
f2	number of objects rated in agreement in follow-up study
n2	sample size (number of objects) in follow-up study
k	number of rating categories

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in G-indices
- Row 4 estimates the average G-index

The columns are:

- Estimate - MLE of G-index (single study, difference, average)
- SE - standard error of adjusted estimate
- LL - lower limit of the adjusted confidence interval
- UL - upper limit of the adjusted confidence interval

References

Bonett DG (2022). “Statistical inference for G-indices of agreement.” *Journal of Educational and Behavioral Statistics*, **47**(4), 438–458. doi:10.3102/10769986221088561.

Bonett DG (2021). “Design and analysis of replication studies.” *Organizational Research Methods*, **24**(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.agree(.05, 85, 100, 160, 200, 2)

# Should return:
#           Estimate      SE      LL      UL
# Original:      0.70 0.07252  0.5309 0.8152
# Follow-up:     0.60 0.05662  0.4773 0.6992
# Original - Follow-up: 0.10 0.09160 -0.0584 0.2429
# Average:      0.65 0.04580  0.5504 0.7299
```

replicate.cor

Compares and combines Pearson or partial correlations in original and follow-up studies

Description

This function can be used to compare and combine Pearson or partial correlations from an original study and a follow-up study. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.cor(alpha, cor1, n1, cor2, n2, s)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor1	estimated correlation in original study
n1	sample size in original study
cor2	estimated correlation in follow-up study
n2	sample size in follow-up study
s	number of control variables in each study (0 for Pearson)

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in correlations
- Row 4 estimates the average correlation

The columns are:

- Estimate - correlation estimate (single study, difference, average)
- SE - standard error
- z - t-value for rows 1 and 2; z-value for rows 3 and 4
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.cor(.05, .598, 80, .324, 200, 0)

# Should return:
#
# Estimate      SE      z      p      LL      UL
# Original:    0.598 0.07321 6.589 0.000 0.4355 0.7228
# Follow-up:   0.324 0.06377 4.819 0.000 0.1940 0.4428
# Original - Follow-up: 0.274 0.09709 2.633 0.008 0.1065 0.4265
# Average:     0.461 0.04854 7.635 0.000 0.3725 0.5412
```

replicate.cor.gen *Compares and combines any type of correlation in original and follow-up studies*

Description

This function can be used to compare and combine any type of correlation from an original study and a follow-up study. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.cor.gen(alpha, cor1, se1, cor2, se2)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor1	estimated correlation in original study
se1	standard error of correlation in original study
cor2	estimated correlation in follow-up study
se2	standard error of correlation in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in correlations
- Row 4 estimates the average correlation

The columns are:

- Estimate - correlation estimate (single study, difference, average)
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.cor.gen(.05, .454, .170, .318, .098)
```

```
# Should return:
```

```
#
#           Estimate      SE      z      p      LL      UL
# Original:      0.454 0.17000 2.287 0.022 0.0699 0.7209
# Follow-up:      0.318 0.09800 3.022 0.003 0.1152 0.4953
# Original - Follow-up: 0.136 0.19622 0.667 0.505 -0.2154 0.4237
# Average:        0.386 0.09811 3.409 0.001 0.1961 0.5480
```

replicate.cronbach	<i>Compares and combines Cronbach reliability in original and follow-up studies</i>
--------------------	---

Description

This function can be used to compare and combine a Cronbach reliability coefficient from an original study and a follow-up study. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.cronbach(alpha, rel1, n1, rel2, n2, r)
```

Arguments

alpha	alpha level for 1-alpha confidence
rel1	estimated reliability in original study
n1	sample size in original study
rel2	estimated reliability in follow-up study
n2	sample size in follow-up study
r	number of measurements (e.g., items)

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in correlations
- Row 4 estimates the average correlation

The columns are:

- Estimate - correlation estimate (single study, difference, average)
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

- Bonett DG (2010). “Varying coefficient meta-analytic methods for alpha reliability.” *Psychological Methods*, **15**(4), 368–385. ISSN 1939-1463, doi:10.1037/a0020142.
- Bonett DG, Price RM (2015). “Varying coefficient meta-analysis methods for odds ratios and risk ratios.” *Psychological Methods*, **20**(3), 394–406. ISSN 1939-1463, doi:10.1037/met0000032.
- Bonett DG (2021). “Design and analysis of replication studies.” *Organizational Research Methods*, **24**(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.cronbach(.05, .883, 100, .869, 200, 6)

# Should return:
#
#           Estimate      SE      LL      UL
# Original:           0.883 0.01831 0.8436 0.9152
# Follow-up:          0.869 0.01442 0.8387 0.8952
# Original - Follow-up: 0.014 0.02331 -0.0334 0.0582
# Average:            0.876 0.01172 0.8519 0.8977
```

replicate.gen

Compares and combines effect sizes in original and follow-up studies

Description

This function can be used to compare and combine any effect size using the effect size estimate and its standard error from the original study and the follow-up study. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.gen(alpha, est1, se1, est2, se2)
```

Arguments

alpha	alpha level for 1-alpha confidence
est1	estimated effect size in original study
se1	effect size standard error in original study
est2	estimated effect size in follow-up study
se2	effect size standard error in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in effect sizes
- Row 4 estimates the average effect size

Columns are:

- Estimate - effect size estimate (single study, difference, average)
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.gen(.05, .782, .210, .650, .154)

# Should return:
#               Estimate      SE      z      p      LL      UL
# Original:      0.782 0.2100000 3.724 0.000 0.3704076 1.1935924
# Follow-up:     0.650 0.1540000 4.221 0.000 0.3481655 0.9518345
# Original - Follow-up: 0.132 0.2604151 0.507 0.612 -0.2963446 0.5603446
# Average:       0.716 0.1302075 5.499 0.000 0.4607979 0.9712021
```

replicate.mean.ps

Compares and combines paired-samples mean differences in original and follow-up studies

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a paired-samples mean difference. Confidence intervals for the difference and average effect size are also computed. Equality of variances within or across studies is not assumed. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals for the difference and average. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.mean.ps(  
  alpha,  
  m11,  
  m12,  
  sd11,  
  sd12,  
  cor1,  
  n1,  
  m21,  
  m22,  
  sd21,  
  sd22,  
  cor2,  
  n2  
)
```

Arguments

<code>alpha</code>	alpha level for 1-alpha confidence
<code>m11</code>	estimated mean for measurement 1 in original study
<code>m12</code>	estimated mean for measurement 2 in original study
<code>sd11</code>	estimated SD for measurement 1 in original study
<code>sd12</code>	estimated SD for measurement 2 in original study
<code>cor1</code>	estimated correlation of paired measurements in original study
<code>n1</code>	sample size in original study
<code>m21</code>	estimated mean for measurement 1 in follow-up study
<code>m22</code>	estimated mean for measurement 2 in follow-up study
<code>sd21</code>	estimated SD for measurement 1 in follow-up study
<code>sd22</code>	estimated SD for measurement 2 in follow-up study
<code>cor2</code>	estimated correlation of paired measurements in follow-up study
<code>n2</code>	sample size in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in mean differences
- Row 4 estimates the average mean difference

The columns are:

- Estimate - mean difference estimate (single study, difference, average)
- SE - standard error
- df - degrees of freedom
- t - t-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.mean.ps(.05, 86.22, 70.93, 14.89, 12.32, .765, 20,
                  84.81, 77.24, 15.68, 16.95, .702, 75)

# Should return:
#
#           Estimate      SE      t      p      LL      UL      df
# Original:      15.29 2.154344  7.097 0.000 10.780906 19.79909 19.0
# Follow-up:       7.57 1.460664  5.183 0.000  4.659564 10.48044 74.0
# Original - Follow-up:  7.72 2.602832  2.966 0.005  3.332885 12.10712 38.4
# Average:       11.43 1.301416  8.783 0.000  8.796322 14.06368 38.4
```

replicate.mean1	<i>Compares and combines single mean in original and follow-up studies</i>
-----------------	--

Description

This function computes confidence intervals for a single mean from an original study and a follow-up study. Confidence intervals for the difference between the two means and average of the two means are also computed. Equality of variances across studies is not assumed. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals for the difference and average. The confidence level for the difference is $1 - 2 \cdot \alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.mean1(alpha, m1, sd1, n1, m2, sd2, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
m1	estimated mean in original study
sd1	estimated SD in original study
n1	sample size in original study
m2	estimated mean in follow-up study
sd2	estimated SD in follow-up study
n2	sample size for in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in means
- Row 4 estimates the average mean

The columns are:

- Estimate - mean estimate (single study, difference, average)
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

- Bonett DG (2021). “Design and analysis of replication studies.” *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.mean1(.05, 21.9, 3.82, 40, 25.2, 3.98, 75)

# Should return:
#
# Estimate      SE      LL      UL      df
# Original:    21.90 0.6039950 20.678305 23.121695 39.00
# Follow-up:   25.20 0.4595708 24.284285 26.115715 74.00
# Original - Follow-up: -3.30 0.7589567 -4.562527 -2.037473 82.63
# Average:     23.55 0.3794784 22.795183 24.304817 82.63
```

replicate.mean2	<i>Compares and combines 2-group mean differences in original and follow-up studies</i>
-----------------	---

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a 2-group mean difference. Confidence intervals for the difference and average effect size are also computed. Equality of variances within or across studies is not assumed. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.mean2(
  alpha,
  m11,
  m12,
  sd11,
  sd12,
  n11,
  n12,
  m21,
  m22,
  sd21,
  sd22,
  n21,
```

n22
)

Arguments

alpha	alpha level for 1-alpha confidence
m11	estimated mean for group 1 in original study
m12	estimated mean for group 2 in original study
sd11	estimated SD for group 1 in original study
sd12	estimated SD for group 2 in original study
n11	sample size for group 1 in original study
n12	sample size for group 2 in original study
m21	estimated mean for group 1 in follow-up study
m22	estimated mean for group 2 in follow-up study
sd21	estimated SD for group 1 in follow-up study
sd22	estimated SD for group 2 in follow-up study
n21	sample size for group 1 in follow-up study
n22	sample size for group 2 in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in mean differences
- Row 4 estimates the average mean difference

The columns are:

- Estimate - mean difference estimate (single study, difference, average)
- SE - standard error
- t - t-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

- Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.mean2(.05, 21.9, 16.1, 3.82, 3.21, 40, 40,
                25.2, 19.1, 3.98, 3.79, 75, 75)

# Should return:
#
#           Estimate      SE      t      p      LL      UL      df
# Original:      5.80 0.7889312  7.352 0.000  4.228624  7.371376  75.75
# Follow-up:      6.10 0.6346075  9.612 0.000  4.845913  7.354087  147.65
# Original - Follow-up: -0.30 1.0124916 -0.296 0.767 -1.974571  1.374571  169.16
# Average:      5.95 0.5062458 11.753 0.000  4.950627  6.949373  169.16
```

```
replicate.meanratio.ps
```

Compares and combines paired-samples mean ratios in original and follow-up studies

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a paired-samples mean ratio. Confidence intervals for the log-difference and average log effect size are also computed. Equality of variances within or across studies is not assumed. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.meanratio.ps(
  alpha,
  m11,
  m12,
  sd11,
  sd12,
  cor1,
  n1,
  m21,
  m22,
  sd21,
  sd22,
  cor2,
  n2
)
```

Arguments

alpha	alpha level for 1-alpha confidence
m11	estimated mean for group 1 in original study
m12	estimated mean for group 2 in original study
sd11	estimated SD for group 1 in original study
sd12	estimated SD for group 2 in original study
cor1	estimated correlation of paired measurements in original study
n1	sample size in original study
m21	estimated mean for group 1 in follow-up study
m22	estimated mean for group 2 in follow-up study
sd21	estimated SD for group 1 in follow-up study
sd22	estimated SD for group 2 in follow-up study
cor2	estimated correlation of paired measurements in follow-up study
n2	sample size in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in mean differences
- Row 4 estimates the average mean difference

The columns are:

- Estimate - mean difference estimate (single study, difference, average)
- SE - standard error
- t - t-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG, Price RM (2020). "Confidence intervals for ratios of means and medians." *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.meanratio.ps(.05, 86.22, 70.93, 14.89, 12.32, .765, 20,
                      84.81, 77.24, 15.68, 16.95, .702, 75)

# Should return:
#
#           Estimate      SE      t      p      df
# Original:      0.30766736 0.02420564 12.7106 0.00000 39.00
# Follow-up:      0.27715566 0.01532870 18.0808 0.00000 74.00
# Original - Follow-up: 0.03051171 0.02865104  1.0649 0.29055 70.57
# Average:        0.29241151 0.01432552 20.4119 0.00000 70.57
#
#           exp(Estimate)  exp(LL)  exp(UL)
# Original:              1.360248 1.2952540 1.428504
# Follow-up:              1.319372 1.2796832 1.360291
# Original - Follow-up:   1.030982 0.9829058 1.081410
# Average:                1.339654 1.3019254 1.378476
```

```
replicate.meanratio2  Compares and combines 2-group mean ratios in original and follow-up studies
```

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a 2-group mean ratio. Confidence intervals for the log-difference and average log effect size are also computed. Equality of variances within or across studies is not assumed. A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.meanratio2(
  alpha,
  m11,
  m12,
  sd11,
  sd12,
  n11,
  n12,
  m21,
  m22,
  sd21,
  sd22,
  n21,
  n22
)
```

Arguments

alpha	alpha level for 1-alpha confidence
m11	estimated mean for group 1 in original study
m12	estimated mean for group 2 in original study
sd11	estimated SD for group 1 in original study
sd12	estimated SD for group 2 in original study
n11	sample size for group 1 in original study
n12	sample size for group 2 in original study
m21	estimated mean for group 1 in follow-up study
m22	estimated mean for group 2 in follow-up study
sd21	estimated SD for group 1 in follow-up study
sd22	estimated SD for group 2 in follow-up study
n21	sample size for group 1 in follow-up study
n22	sample size for group 2 in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in mean differences
- Row 4 estimates the average mean difference

The columns are:

- Estimate - mean difference estimate (single study, difference, average)
- SE - standard error
- t - t-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG, Price RM (2020). "Confidence intervals for ratios of means and medians." *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```

replicate.meanratio2(.05, 21.9, 16.1, 3.82, 3.21, 40, 40, 25.2, 19.1, 3.98, 3.79, 75, 75)

# Should return:
#
#           Estimate      SE      t      p      df
# Original:      0.30766736 0.04188600  7.3454 0.00000 76.65
# Follow-up:      0.27715566 0.02928438  9.4643 0.00000 140.91
# Original - Follow-up: 0.03051171 0.05110785  0.5970 0.55141 150.35
# Average:        0.29241151 0.02555393 11.4429 0.00000 150.35
#
#           exp(Estimate)  exp(LL)  exp(UL)
# Original:              1.360248 1.2513908 1.478576
# Follow-up:              1.319372 1.2451576 1.398009
# Original - Follow-up:   1.030982 0.9473616 1.121983
# Average:                1.339654 1.2736927 1.409032

```

replicate.oddsratio *Compares and combines odds ratios in original and follow-up studies*

Description

This function computes confidence intervals for an odds ratio from an original study and a follow-up study. Confidence intervals for the ratio of odds ratios and geometric average odds ratio are also computed. The confidence level for the ratio of ratios is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.oddsratio(alpha, est1, se1, est2, se2)
```

Arguments

alpha	alpha level for 1-alpha confidence
est1	estimate of log odds ratio in original study
se1	standard error of log odds ratio in original study
est2	estimate of log odds ratio in follow-up study
se2	standard error of log odds ratio in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study

- Row 3 estimates the ratio of odds ratios
- Row 4 estimates the geometric average odds ratio

The columns are:

- Estimate - log odds ratio estimate (single study, ratio, average)
- SE - standard error of log odds estimate
- z - z-value
- p - p-value
- exp(Estimate) - exponentiated estimate
- exp(LL) - exponentiated lower limit of the confidence interval
- exp(UL) - exponentiated upper limit of the confidence interval

References

Bonett DG (2021). “Design and analysis of replication studies.” *Organizational Research Methods*, **24**(3), 513–529. ISSN 1094-4281, doi:[10.1177/1094428120911088](https://doi.org/10.1177/1094428120911088).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.oddsratio(.05, 1.39, .302, 1.48, .206)

# Should return:
#           Estimate      SE      z      p
# Original:    1.39000000 0.3020000 4.603 0.000
# Follow-up:    1.48000000 0.2060000 7.184 0.000
# Original/Follow-up: -0.06273834 0.3655681 -0.172 0.864
# Average:      0.36067292 0.1827840 1.973 0.048
#           exp(Estimate) exp(LL) exp(UL)
# Original:      4.0148501 2.2212961 7.256583
# Follow-up:      4.3929457 2.9336501 6.578144
# Original/Follow-up: 0.9391892 0.5147653 1.713551
# Average:      1.4342943 1.0024257 2.052222
```

replicate.pbcor

Compares and combines point-biserial correlations in original and follow-up studies

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a point-biserial correlation. Confidence intervals for the difference and average effect size are also computed. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing. The point-biserial correlation in each study is computed from a standardized mean difference. Two types of standardized mean differences can be requested. One type uses the square root of unweighted variances as a standardizer and is recommended for 2-group experimental designs. The other type uses the square root of weighted variances as a standardizer and is recommended for 2-group non-experimental designs with simple random sampling. Equality of variances across or within studies is not assumed.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.pbcor(
  alpha,
  m11,
  m12,
  sd11,
  sd12,
  n11,
  n12,
  m21,
  m22,
  sd21,
  sd22,
  n21,
  n22,
  type
)
```

Arguments

alpha	alpha level for 1-alpha confidence
m11	estimated mean for group 1 in original study
m12	estimated mean for group 2 in original study
sd11	estimated SD for group 1 in original study
sd12	estimated SD for group 2 in original study
n11	sample size for group 1 in original study
n12	sample size for group 2 in original study
m21	estimated mean for group 1 in follow-up study
m22	estimated mean for group 2 in follow-up study
sd21	estimated SD for group 1 in follow-up study
sd22	estimated SD for group 2 in follow-up study
n21	sample size for group 1 in follow-up study

n22 sample size for group 2 in follow-up study

type • set to 1 for square root weighted average variance standardizer
 • set to 2 for square root unweighted average variance standardizer

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in point-biserial correlations
- Row 4 estimates the average point-biserial correlation

The columns are:

- Estimate - point-biserial correlation (single study, difference, average)
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2020). “Point-biserial correlation: Interval estimation, hypothesis testing, meta-analysis, and sample size determination.” *British Journal of Mathematical and Statistical Psychology*, **73**(S1), 113–144. ISSN 0007-1102, doi:10.1111/bmsp.12189.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.pbcor(.05, 21.9, 16.1, 3.82, 3.21, 40, 40, 25.2, 19.1, 3.98, 3.79, 75, 75, 2)
```

```
# Should return:
```

```
#           Estimate      SE      LL      UL
# Original:      0.6350 0.06061  0.4915 0.7336
# Follow-up:      0.6174 0.04578  0.5148 0.6959
# Original - Follow-up: 0.0176 0.07595 -0.1460 0.1599
# Average:        0.6262 0.03798  0.5460 0.6950
```

```
replicate.pbcor(.05, 12.2, 10.4, 1.74, 1.59, 68, 94, 13.0, 10.9, 1.48, 1.29, 124, 189, 1)
```

```
# Should return:
```

```
#           Estimate      SE      LL      UL
# Original:      0.4753 0.05847  0.3487 0.5781
# Follow-up:      0.6016 0.03365  0.5292 0.6617
# Original - Follow-up: -0.1262 0.06746 -0.2664 -0.0005
# Average:        0.5384 0.03373  0.4691 0.6012
```

replicate.plot	<i>Plot to compare estimates from original and follow-up studies</i>
----------------	--

Description

Generates a basic plot using ggplot2 to visualize the estimates from the original and follow-up studies.

Usage

```
replicate.plot(
  result,
  focus = c("Both", "Difference", "Average"),
  reference_line = NULL,
  diamond_height = 0.2,
  difference_axis_ticks = 5,
  ggtheme = ggplot2::theme_classic()
)
```

Arguments

result	• a result matrix from any of the replicate functions in vcmeta
focus	<ul style="list-style-type: none"> • Optional specification of the focus of the plot; defaults to 'Both' • Both - plots each estimate, difference, and average • Difference - plot each estimate and difference between them • Average - plot each estimate and the average effect size
reference_line	• Optional x-value for a reference line. Only applies if focus is 'Difference' or 'Both'. Defaults to NULL, in which case a reference line is not drawn.
diamond_height	• Optional height of the diamond representing average effect size. Only applies if focus is 'Average' or 'Both'. Defaults to 0.2
difference_axis_ticks	• Optional requested number of ticks on the difference axis. Only applies if focus is 'Difference' or 'Both'. Defaults to 5.
ggtheme	• optional ggplot2 theme object; defaults to theme_classic()

Value

Returns a ggplot object. If stored, can be further customized via the ggplot API

Examples

```
# Compare Damisch et al., 2010 to Calin-Jageman & Caldwell 2014
# Damisch et al., 2010, Exp 1, German participants made 10 mini-golf putts.
# Half were told they had a 'lucky' golf ball; half were not.
# Found a large but uncertain improvement in shots made in the luck condition
```

```
# Calin-Jageman & Caldwell, 2014, Exp 1, was a pre-registered replication with
# input from Damisch, though with English-speaking participants.
#
# Here we compare the effect sizes, in original units, for the two studies.
# Use the replicate.mean2 function because the design is a 2-group design.

library(ggplot2)
damisch_v_calinjageman_raw <- replicate.mean2(
  alpha = 0.05,
  m11 = 6.42,
  m12 = 4.75,
  sd11 = 1.88,
  sd12 = 2.15,
  n11 = 14,
  n12 = 14,
  m21 = 4.73,
  m22 = 4.62,
  sd21 = 1.958,
  sd22 = 2.12,
  n21 = 66,
  n22 = 58
)

# View the comparison:
damisch_v_calinjageman_raw

# Now plot the comparison, focusing on the difference
replicate.plot(damisch_v_calinjageman_raw, focus = "Difference")

# Plot the comparison, focusing on the average
replicate.plot(damisch_v_calinjageman_raw,
  focus = "Average",
  reference_line = 0,
  diamond_height = 0.1
)

# Plot the comparison with both difference and average.
# In this case, store the plot for manipulation
myplot <- replicate.plot(
  damisch_v_calinjageman_raw,
  focus = "Both",
  reference_line = 0
)

# View the stored plot
myplot

# Change x-labels and study labels
myplot <- myplot + xlab("Difference in Putts Made, Lucky - Control")
myplot <- myplot + scale_y_discrete(
  labels = c(
```

```

    "Average",
    "Difference",
    "Calin-Jageman & Caldwell, 2014",
    "Damisch et al., 2010"
  )
)

# View the updated plot
myplot

```

replicate.prop.ps *Compares and combines paired-samples proportion differences in original and follow-up studies*

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a paired-samples proportion difference. Confidence intervals for the difference and average of effect sizes are also computed. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.prop.ps(alpha, f1, f2)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	vector of frequency counts for 2x2 table in original study
f2	vector of frequency counts for 2x2 table in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in proportion differences
- Row 4 estimates the average proportion difference

The columns are:

- Estimate - proportion difference estimate (single study, difference, average)
- SE - standard error
- z - z-value

- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). “Design and analysis of replication studies.” *Organizational Research Methods*, **24**(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG, Price RM (2012). “Adjusted wald confidence interval for a difference of binomial proportions based on paired data.” *Journal of Educational and Behavioral Statistics*, **37**(4), 479–488. ISSN 1076-9986, doi:10.3102/1076998611411915.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
f1 <- c(42, 2, 15, 61)
f2 <- c(69, 5, 31, 145)
replicate.prop.ps(.05, f1, f2)

# Should return:
#
#           Estimate      SE      z      p      LL      UL
# Original:    0.106557377 0.03440159 3.097 0.002 0.03913151 0.17398325
# Follow-up:   0.103174603 0.02358274 4.375 0.000 0.05695329 0.14939592
# Original - Follow-up: 0.003852359 0.04097037 0.094 0.925 -0.06353791 0.07124263
# Average:     0.105511837 0.02048519 5.151 0.000 0.06536161 0.14566206
```

replicate.prop1	<i>Compares and combines single proportions in original and follow-up studies</i>
-----------------	---

Description

This function computes confidence intervals for a single proportion from an original study and a follow-up study. Confidence intervals for the difference between the two proportions and average of the two proportions are also computed. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.prop1(alpha, f1, n1, f2, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
f1	frequency count in original study
n1	sample size in original study
f2	frequency count in follow-up study
n2	sample size for in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in proportions
- Row 4 estimates the average proportion

The columns are:

- Estimate - proportion estimate (single study, difference, average)
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.prop1(.05, 21, 300, 35, 400)
```

```
# Should return:
```

```
#
#           Estimate      SE      LL      UL
# Original:    0.07565789 0.01516725 0.04593064 0.10538515
# Follow-up:    0.09158416 0.01435033 0.06345803 0.11971029
# Original - Follow-up: -0.01670456 0.02065098 -0.05067239 0.01726328
# Average:      0.08119996 0.01032549 0.06096237 0.10143755
```

replicate.prop2	<i>Compares and combines 2-group proportion differences in original and follow-up studies</i>
-----------------	---

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a 2-group proportion difference. Confidence intervals for the difference and average effect size are also computed. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.prop2(alpha, f11, f12, n11, n12, f21, f22, n21, n22)
```

Arguments

alpha	alpha level for 1-alpha confidence
f11	frequency count for group 1 in original study
f12	frequency count for group 2 in original study
n11	sample size for group 1 in original study
n12	sample size for group 2 in original study
f21	frequency count for group 1 in follow-up study
f22	frequency count for group 2 in follow-up study
n21	sample size for group 1 in follow-up study
n22	sample size for group 2 in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in proportion differences
- Row 4 estimates the average proportion difference

The columns are:

- Estimate - proportion difference estimate (single study, difference, average)
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

- Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.prop2(.05, 21, 16, 40, 40, 19, 13, 60, 60)

# Should return:
#
#           Estimate      SE      z      p      LL      UL
# Original:      0.11904762 0.10805233 1.102 0.271 -0.09273105 0.3308263
# Follow-up:      0.09677419 0.07965047 1.215 0.224 -0.05933787 0.2528863
# Original - Follow-up: 0.02359056 0.13542107 0.174 0.862 -0.19915727 0.2463384
# Average:        0.11015594 0.06771053 1.627 0.104 -0.02255427 0.2428661
```

replicate.propratio2 *Compares and combines 2-group proportion ratios in original and follow-up studies*

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a 2-group log proportion ratio. Confidence intervals for exponentiated effect sizes are also computed. The confidence level for the ratio of ratios is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.propratio2(alpha, f11, f12, n11, n12, f21, f22, n21, n22)
```

Arguments

alpha	alpha level for 1-alpha confidence
f11	frequency count for group 1 in original study
f12	frequency count for group 2 in original study
n11	sample size for group 1 in original study
n12	sample size for group 2 in original study
f21	frequency count for group 1 in follow-up study
f22	frequency count for group 2 in follow-up study
n21	sample size for group 1 in follow-up study
n22	sample size for group 2 in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the ratio of proportion ratios
- Row 4 estimates the geometric average proportion ratio

The columns are:

- Estimate - log proportion ratio estimate (single study, ratio, average)
- SE - standard error of log proportion estimate
- z - z-value
- p - p-value
- exp(Estimate) - exponentiated estimate
- exp(LL) - exponentiated lower limit of the confidence interval
- exp(UL) - exponentiated upper limit of the confidence interval

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgonett.sites.ucsc.edu/>.

Examples

```
replicate.propratio2(.05, 21, 16, 40, 40, 19, 13, 60, 60)
```

```
# Should return:
#           Estimate      SE      z      p
# Original:      0.2682640 0.2463597  1.089 0.276
# Follow-up:      0.3735135 0.3082711  1.212 0.226
# Original/Follow-up: -0.1052495 0.3946190 -0.267 0.789
# Average:        0.3208887 0.1973095  1.626 0.104
#           exp(Estimate) exp(LL) exp(UL)
# Original:        1.3076923 0.8068705  2.119373
# Follow-up:        1.4528302 0.7939881  2.658372
# Original/Follow-up: 0.9000999 0.4703209  1.722611
# Average:         1.3783522 0.9362893  2.029132
```

replicate.slope	<i>Compares and combines slope coefficients in original and follow-up studies</i>
-----------------	---

Description

This function computes confidence intervals for an OLS slope in a GLM from the original and follow-up studies, the difference in slopes, and the average of the slopes. Equality of error variances across studies is not assumed. The confidence interval for the difference uses a $1 - 2\alpha$ confidence level, which is recommended for equivalence testing. Use the [replicate.gen](#) function for slopes in other types of models (e.g., binary logistic, ordinal logistic, SEM). A Satterthwaite adjustment to the degrees of freedom is used to improve the accuracy of the confidence intervals for the average and the difference.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.slope(alpha, b1, se1, n1, b2, se2, n2, s)
```

Arguments

alpha	alpha level for $1 - \alpha$ or $1 - 2\alpha$ confidence
b1	sample slope in original study
se1	standard error of slope in original study
n1	sample size in original study
b2	sample slope in follow-up study
se2	standard error of slope in follow-up study
n2	sample size in follow-up study
s	number of predictor variables in model

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in slopes
- Row 4 estimates the average slope

The columns are:

- Estimate - slope estimate (single study, difference, average)
- SE - standard error
- t - t-value

- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval
- df - degrees of freedom

References

Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, **24**(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.slope(.05, 23.4, 5.16, 50, 18.5, 4.48, 90, 4)

# Should return:
#
# Estimate      SE      t      p      LL      UL      df
# Original:    23.40 5.160000 4.535 0.000 13.007227 33.79277 45.0
# Follow-up:   18.50 4.480000 4.129 0.000  9.592560 27.40744 85.0
# Original - Follow-up:  4.90 6.833447 0.717 0.475 -6.438743 16.23874 106.4
# Average:    20.95 3.416724 6.132 0.000 14.176310 27.72369 106.4
```

replicate.spear	<i>Compares and combines Spearman correlations in original and follow-up studies</i>
-----------------	--

Description

This function can be used to compare and combine Spearman correlations from an original study and a follow-up study. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.spear(alpha, cor1, n1, cor2, n2)
```

Arguments

alpha	alpha level for 1-alpha confidence
cor1	estimated Spearman correlation in original study
n1	sample size in original study
cor2	estimated Spearman correlation in follow-up study
n2	sample size in follow-up study

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in correlations
- Row 4 estimates the average correlation

The columns are:

- Estimate - Spearman correlation estimate (single study, difference, average)
- SE - standard error
- z - z-value
- p - p-value
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). "Design and analysis of replication studies." *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.spear(.05, .598, 80, .324, 200)
```

```
# Should return:
#
# Estimate      SE      z      p      LL      UL
# Original:    0.598 0.07948 5.315 0.000 0.4199 0.7318
# Follow-up:   0.324 0.06542 4.571 0.000 0.1905 0.4457
# Original - Follow-up: 0.274 0.10294 3.438 0.001 0.0948 0.4342
# Average:     0.461 0.05147 9.968 0.000 0.3670 0.5457
```

replicate.stdmean.ps *Compares and combines paired-samples standardized mean differences in original and follow-up studies*

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a paired-samples standardized mean difference. Confidence intervals for the difference and average effect size are also computed. Equality of variances within or across studies is not assumed. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing. Square root unweighted variances and single-condition standard deviation are options for the standardizer.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.stdmean.ps(
  alpha,
  m11,
  m12,
  sd11,
  sd12,
  cor1,
  n1,
  m21,
  m22,
  sd21,
  sd22,
  cor2,
  n2,
  stdzr
)
```

Arguments

alpha	alpha level for 1-alpha confidence
m11	estimated mean for group 1 in original study
m12	estimated mean for group 2 in original study
sd11	estimated SD for group 1 in original study
sd12	estimated SD for group 2 in original study
cor1	estimated correlation of paired observations in original study
n1	sample size in original study
m21	estimated mean for group 1 in follow-up study
m22	estimated mean for group 2 in follow-up study
sd21	estimated SD for group 1 in follow-up study
sd22	estimated SD for group 2 in follow-up study
cor2	estimated correlation of paired observations in follow-up study
n2	sample size in follow-up study
stdzr	<ul style="list-style-type: none"> • set to 0 for square root unweighted average variance standardizer • set to 1 for measurement 1 SD standardizer • set to 2 for measurement 2 SD standardizer

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study
- Row 3 estimates the difference in standardized mean differences
- Row 4 estimates the average standardized mean difference

The columns are:

- Estimate - standardized mean difference estimate (single study, difference, average)
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). “Design and analysis of replication studies.” *Organizational Research Methods*, 24(3), 513–529. ISSN 1094-4281, doi:10.1177/1094428120911088.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.stdmean.ps(alpha = .05, 86.22, 70.93, 14.89, 12.32, .765, 20,
                    84.81, 77.24, 15.68, 16.95, .702, 75, 0)

# Should return:
#               Estimate    SE    LL    UL
# Original:      1.0890 0.2292 0.6697 1.5680
# Follow-up:     0.4605 0.0959 0.2757 0.6516
# Original - Follow-up: 0.6552 0.2484 0.2466 1.0638
# Average:       0.7748 0.1242 0.5313 1.0182
```

replicate.stdmean2 *Compares and combines 2-group standardized mean differences in original and follow-up studies*

Description

This function computes confidence intervals from an original study and a follow-up study where the effect size is a 2-group standardized mean difference. Confidence intervals for the difference and average effect size are also computed. Equality of variances within or across studies is not assumed. The confidence level for the difference is $1 - 2*\alpha$, which is recommended for equivalence testing. Square root unweighted variances, square root weighted variances, and single-group standard deviation are options for the standardizer.

For more details, see Chapter 4 of Bonett (2021, Volume 5).

Usage

```
replicate.stdmean2(
  alpha,
  m11,
  m12,
  sd11,
  sd12,
  n11,
  n12,
  m21,
  m22,
  sd21,
  sd22,
  n21,
  n22,
  stdzr
)
```

Arguments

alpha	alpha level for 1-alpha confidence
m11	estimated mean for group 1 in original study
m12	estimated mean for group 2 in original study
sd11	estimated SD for group 1 in original study
sd12	estimated SD for group 2 in original study
n11	sample size for group 1 in original study
n12	sample size for group 2 in original study
m21	estimated mean for group 1 in follow-up study
m22	estimated mean for group 2 in follow-up study
sd21	estimated SD for group 1 in follow-up study
sd22	estimated SD for group 2 in follow-up study
n21	sample size for group 1 in follow-up study
n22	sample size for group 2 in follow-up study
stdzr	<ul style="list-style-type: none"> • set to 0 for square root unweighted average variance standardizer • set to 1 for group 1 SD standardizer • set to 2 for group 2 SD standardizer • set to 3 for square root weighted average variance standardizer

Value

A 4-row matrix. The rows are:

- Row 1 summarizes the original study
- Row 2 summarizes the follow-up study

- Row 3 estimates the difference in standardized mean differences
- Row 4 estimates the average standardized mean difference

The columns are:

- Estimate - standardized mean difference estimate (single study, difference, average)
- SE - standard error
- LL - lower limit of the confidence interval
- UL - upper limit of the confidence interval

References

Bonett DG (2021). “Design and analysis of replication studies.” *Organizational Research Methods*, **24**(3), 513–529. ISSN 1094-4281, doi:[10.1177/1094428120911088](https://doi.org/10.1177/1094428120911088).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
replicate.stdmean2(.05, 21.9, 16.1, 3.82, 3.21, 40, 40,
                  25.2, 19.1, 3.98, 3.79, 75, 75, 0)

# Should return:
#           Estimate      SE      LL      UL
# Original:      1.6280 0.2595  1.1353 2.1524
# Follow-up:     1.5617 0.1871  1.2030 1.9363
# Original - Follow-up: 0.0742 0.3199 -0.4519 0.6004
# Average:       1.5949 0.1599  1.2814 1.9083
```

se.agree

Computes the estimate and standard error for a G-index of agreement

Description

Computes an adjusted G-index of agreement for two raters using the number of objects rated in agreement, the sample size (number of objects), and the number of rating categories. The adjustment for the G-index and its standard error is optimized for the the number of planned studies in the meta-analysis. The G-index and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions. The G-index is usually preferred to Cohen’s kappa (see Bonett, 2022).

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.agree(f, n, k, m)
```

Arguments

f	number of objects rated in agreement
n	sample size (number of objects)
k	number of rating categories
m	number of studies in planned meta-analysis

Value

Returns a one-row matrix:

- MLE - maximum likelihood estimate of G-index
- Estimate - adjusted estimate of G-index for meta-analysis
- SE - standard error of adjusted estimate for meta-analysis

References

Bonett DG (2022). "Statistical inference for G-indices of agreement." *Journal of Educational and Behavioral Statistics*, **47**(4), 438–458. doi:10.3102/10769986221088561.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.agree(42, 50, 3, 4)

# Should return:
#           MLE Estimate      SE
# G-index:  0.76      0.75 0.06391
```

se.ave.cor.nonover	<i>Computes the standard error for the average of two Pearson correlations with no variables in common that have been estimated from the same sample</i>
--------------------	--

Description

In a study that reports the sample size and six correlations (cor12, cor34, cor13, cor14, cor23, and cor24) where variables 1 and 3 are different measurements of one attribute and variables 2 and 4 are different measurements of a second attribute, this function can be used to compute the average of cor12 and cor34 and its standard error. Note that cor12 and cor34 have no variable in common (i.e., no "overlapping" variable). The average correlation and the standard error from this function can be used as input in the [meta.ave.cor.gen](#) function in a meta-analysis where some studies have reported cor12 and other studies have reported cor34.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.ave.cor.nonover(cor12, cor34, cor13, cor14, cor23, cor24, n)
```

Arguments

cor12	estimated correlation between variables 1 and 2
cor34	estimated correlation between variables 3 and 4
cor13	estimated correlation between variables 1 and 3
cor14	estimated correlation between variables 1 and 4
cor23	estimated correlation between variables 2 and 3
cor24	estimated correlation between variables 2 and 4
n	sample size

Value

Returns a two-row matrix. The first row gives results for the average correlation and the second row gives the results with a Fisher transformation. The columns are:

- Estimate - estimated average of cor12 and cor34
- SE - standard error
- VAR(cor12) - variance of cor12
- VAR(cor34) - variance of cor34
- COV(cor12,cor34) - covariance of cor12 and cor34

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.ave.cor.nonover(.357, .398, .755, .331, .347, .821, 100)

# Should return:
#           Estimate      SE VAR(cor12)  VAR(cor34)  COV(cor12,cor34)
# Correlation:  0.3775 0.07769 0.00784892 0.007301895    0.004495714
# Fisher:      0.3971 0.09060 0.01030928 0.010309278    0.006122153
```

se.ave.cor.over	<i>Computes the standard error for the average of two Pearson correlations with one variable in common that have been estimated from the same sample</i>
-----------------	--

Description

In a study that reports the sample size and three correlations (cor12, cor13, and cor23 where variable 1 is called the "overlapping" variable), and variables 2 and 3 are different measurements of the same attribute, this function can be used to compute the average of cor12 and cor13 and its standard error. The average correlation and the standard error from this function can be used as input in the [meta.ave.cor.gen](#) function in a meta-analysis where some studies have reported cor12 and other studies have reported cor13.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.ave.cor.over(cor12, cor13, cor23, n)
```

Arguments

cor12	estimated correlation between variables 1 and 2
cor13	estimated correlation between variables 1 and 3
cor23	estimated correlation between variables 2 and 3
n	sample size

Value

Returns a two-row matrix. The first row gives results for the average correlation and the second row gives the results with a Fisher transformation. The columns are:

- Estimate - estimated average of cor12 and cor13
- SE - standard error
- VAR(cor12) - variance of cor12
- VAR(cor13) - variance of cor13
- COV(cor12,cor13) - covariance of cor12 and cor13

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.ave.cor.over(.462, .518, .755, 100)

# Should return:
#           Estimate      SE  VAR(cor12) VAR(cor13) COV(cor12,cor13)
# Correlation:  0.4900 0.07087 0.006378045 0.00551907  0.004097553
# Fisher:      0.5361 0.09327 0.010309278 0.01030928  0.007119936
```

se.ave.mean2.dep	<i>Computes the standard error for the average of 2-group mean differences from two parallel measurement response variables in the same sample</i>
------------------	--

Description

In a study that reports a 2-group mean difference for two response variables that satisfy the conditions of parallel measurements, this function can be used to compute the standard error of the average of the two mean differences using the two estimated means, estimated standard deviations, estimated within-group correlation between the two response variables, and the two sample sizes. The average mean difference and standard error output from this function can then be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in a meta-analysis where some studies have used one of the two parallel response variables and other studies have used the other parallel response variable. Equality of variances is not assumed.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.ave.mean2.dep(m1A, m2A, sd1A, sd2A, m1B, m2B, sd1B, sd2B, rAB, n1, n2)
```

Arguments

m1A	estimated mean for variable A in group 1
m2A	estimated mean for variable A in group 2
sd1A	estimated standard deviation for variable A in group 1
sd2A	estimated standard deviation for variable A in group 2
m1B	estimated mean for variable B in group 1
m2B	estimated mean for variable B in group 2
sd1B	estimated standard deviation for variable B in group 1
sd2B	estimated standard deviation for variable B in group 2
rAB	estimated within-group correlation between variables A and B
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a one-row matrix:

- Estimate - estimated average mean difference
- SE - standard error
- VAR(A) - variance of mean difference for variable A
- VAR(B) - variance of mean difference for variable B
- COV(A,B) - covariance of mean differences for variables A and B

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.ave.mean2.dep(21.9, 16.1, 3.82, 3.21, 24.8, 17.1, 3.57, 3.64, .785, 40, 40)

# Should return:
#               Estimate      SE   VAR(A)   VAR(B)  COV(A,B)
# Average mean difference:    6.75 0.7526878 0.6224125 0.6498625 0.4969403
```

se.biphi

Computes the standard error for a biserial-phi correlation

Description

Computes an estimate of a biserial-phi correlation and its standard error using the frequency counts from a 2 x 2 contingency table where one variable is naturally dichotomous and the other variable is artificially dichotomous. The biserial-phi correlation approximates a point-biserial correlation between the naturally dichotomous variable and the unobserved quantitative variable that was measured on a dichotomous scale. A biserial-phi correlation could be compatible with a point-biserial correlation in a meta-analysis. The biserial-phi estimate and the standard error from this function can be used as input in the [meta.ave.cor.gen](#) function in a meta-analysis where a point-biserial correlation has been obtained in some studies and a biserial-phi correlation has been obtained in other studies.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.biphi(f1, f2, n1, n2)
```

Arguments

f1	number of participants in group 1 who have the attribute
f2	number of participants in group 2 who have the attribute
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated biserial-phi correlation
- SE - standard error

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.biphi(34, 22, 50, 50)

# Should return:
#           Estimate      SE
# Biserial-phi:  0.2754 0.10746
```

se.bscor

Computes the standard error for a biserial correlation

Description

Computes a biserial correlation and its standard error. A biserial correlation can be used when one variable is quantitative and the other variable has been artificially dichotomized. The biserial correlation estimates the correlation between an observable quantitative variable and an unobserved quantitative variable that is measured on a dichotomous scale. This function requires the estimated mean, estimated standard deviation, and samples size from each level of the dichotomized variable. This function is useful in a meta-analysis of Pearson correlations where some studies report a Pearson correlation and other studies report the information needed to compute a biserial correlation. The biserial correlation and standard error output from this function can be used as input in the [meta.ave.cor.gen](#) function.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.bscor(m1, m2, sd1, sd2, n1, n2)
```

Arguments

m1	estimated mean for level 1
m2	estimated mean for level 2
sd1	estimated standard deviation for level 1
sd2	estimated standard deviation for level 2
n1	sample size for level 1
n2	sample size for level 2

Details

This function computes a point-biserial correlation and its standard error as a function of a standardized mean difference with a weighted variance standardizer. Then the point-biserial estimate is transformed into a biserial correlation using the traditional adjustment. The adjustment is also applied to the point-biserial standard error to obtain the standard error for the biserial correlation.

The biserial correlation assumes that the observed quantitative variable and the unobserved quantitative variable have a bivariate normal distribution. Bivariate normality is a crucial assumption underlying the transformation of a point-biserial correlation to a biserial correlation. Bivariate normality also implies equal variances of the observed quantitative variable at each level of the dichotomized variable, and this assumption is made in the computation of the standard error.

Value

Returns a one-row matrix:

- Estimate - estimated biserial correlation
- SE - standard error

References

Bonett DG (2020). "Point-biserial correlation: Interval estimation, hypothesis testing, meta-analysis, and sample size determination." *British Journal of Mathematical and Statistical Psychology*, **73**(S1), 113–144. ISSN 0007-1102, doi:10.1111/bmsp.12189.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.bscor(21.9, 16.1, 3.82, 3.21, 40, 40)

# Should return:
#               Estimate      SE
# Biserial correlation:  0.8018 0.07452
```

`se.cohen`*Computes the standard error for Cohen's d*

Description

Computes the standard error of Cohen's d using only the two sample sizes and an estimate of Cohen's d. Cohen's d and its standard error assume equal variances. The estimate of Cohen's d, with the standard error output from this function, can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in applications where different types of compatible standardized mean differences are used in the meta-analysis. If the means, standard deviations, and sample sizes for the two groups are available, use the [se.stdmean2](#) function which does not assume equal variances. The standard error for Cohen's d can be very inaccurate if the variances are unequal and the sample sizes are unequal.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.cohen(d, n1, n2)
```

Arguments

d	estimated Cohen's d
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a one-row matrix:

- Estimate - Cohen's d (from input)
- SE - standard error

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.cohen(.782, 35, 50)

# Should return:
#           Estimate      SE
# Cohen's d:    0.782 0.22887
```

`se.cor`*Computes the standard error for a Pearson or partial correlation*

Description

Computes the standard error of a Pearson or partial correlation using the estimated correlation, sample size, and number of control variables. The correlation, along with the standard error output from this function, can be used as input in the [meta.ave.cor.gen](#) function in applications where a combination of different types of compatible correlations are used in the meta-analysis.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.cor(cor, s, n)
```

Arguments

<code>cor</code>	estimated Pearson or partial correlation
<code>s</code>	number of control variables (set to 0 for Pearson)
<code>n</code>	sample size

Value

Returns a one-row matrix:

- Estimate - Pearson or partial correlation (from input)
- SE - standard error

References

Bonett DG (2008). "Meta-analytic interval estimation for bivariate correlations." *Psychological Methods*, **13**(3), 173–181. ISSN 1939-1463, [doi:10.1037/a0012868](https://doi.org/10.1037/a0012868).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.cor(.427, 0, 55)

# Should return:
#           Estimate      SE
# Correlation:    0.427 0.11339

se.cor(.283, 4, 80)
# Should return:
#           Estimate      SE
# Correlation:    0.283 0.10767
```

se.mean.ps

Computes the standard error for a paired-samples mean difference

Description

Computes the standard error of a paired-samples mean difference using the estimated means, estimated standard deviations, estimated Pearson correlation, and sample size. The effect size estimate and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in applications where compatible mean differences from a combination of 2-group and paired-samples experiments are used in the meta-analysis. Equality of variances is not assumed.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.mean.ps(m1, m2, sd1, sd2, cor, n)
```

Arguments

m1	estimated mean for measurement 1
m2	estimated mean for measurement 2
sd1	estimated standard deviation for measurement 1
sd2	estimated standard deviation for measurement 2
cor	estimated correlation for measurements 1 and 2
n	sample size

Value

Returns a one-row matrix:

- Estimate - estimated mean difference
- SE - standard error

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.mean.ps(23.94, 25.12, 1.76, 2.01, .78, 25)

# Should return:
#               Estimate      SE
# Mean difference:   -1.18 0.2544833
```

`se.mean2`*Computes the standard error for a 2-group mean difference*

Description

Computes the standard error of a 2-group mean difference using the estimated means, estimated standard deviations, and sample sizes. The effect size estimate and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in applications where compatible mean differences from a combination of 2-group and paired-samples experiments are used in the meta-analysis. Equality of variances is not assumed.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.mean2(m1, m2, sd1, sd2, n1, n2)
```

Arguments

m1	estimated mean for group 1
m2	estimated mean for group 2
sd1	estimated standard deviation for group 1
sd2	estimated standard deviation for group 2
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a one-row matrix:

- Estimate - estimated mean difference
- SE - standard error

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.mean2(21.93, 16.11, 3.82, 3.21, 40, 40)

# Should return:
#           Estimate      SE
# Mean difference:    5.82 0.7889312
```

se.meanratio.ps	<i>Computes the standard error for a paired-samples log mean ratio</i>
-----------------	--

Description

Computes the standard error of a paired-samples log mean ratio using the estimated means, estimated standard deviations, estimated Pearson correlation, and sample size. The log-mean estimate and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in applications where compatible mean ratios from a combination of 2-group and paired-samples experiments are used in the meta-analysis. Equality of variances is not assumed.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.meanratio.ps(m1, m2, sd1, sd2, cor, n)
```

Arguments

m1	estimated mean for measurement 1
m2	estimated mean for measurement 2
sd1	estimated standard deviation for measurement 1
sd2	estimated standard deviation for measurement 2
cor	estimated correlation for measurements 1 and 2
n	sample size

Value

Returns a one-row matrix:

- Estimate - estimated log mean ratio
- SE - standard error

References

Bonett DG, Price RM (2020). "Confidence intervals for ratios of means and medians." *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, [doi:10.3102/1076998620934125](https://doi.org/10.3102/1076998620934125).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.meanratio.ps(21.9, 16.1, 3.82, 3.21, .748, 40)

# Should return:
#           Estimate      SE
# Log mean ratio: 0.3076674 0.02130161
```

se.meanratio2

Computes the standard error for a 2-group log mean ratio

Description

Computes the standard error of a 2-group log mean ratio using the estimated means, estimated standard deviations, and sample sizes. The log mean estimate and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in application where compatible mean ratios from a combination of 2-group and paired-samples experiments are used in the meta-analysis. Equality of variances is not assumed.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.meanratio2(m1, m2, sd1, sd2, n1, n2)
```

Arguments

m1	estimated mean for group 1
m2	estimated mean for group 2
sd1	estimated standard deviation for group 1
sd2	estimated standard deviation for group 2
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a one-row matrix:

- Estimate - estimated log mean ratio
- SE - standard error

References

Bonett DG, Price RM (2020). “Confidence intervals for ratios of means and medians.” *Journal of Educational and Behavioral Statistics*, **45**(6), 750–770. ISSN 1076-9986, doi:10.3102/1076998620934125.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.meanratio2(21.9, 16.1, 3.82, 3.21, 40, 40)

# Should return:
#           Estimate      SE
# Log mean ratio: 0.3076674 0.041886
```

se.median

*Computes the standard error for a median***Description**

Computes the standard error of a median using a confidence interval for the distribution-free interval (see Snedecor & Cochran, 1980), this function computes a Price-Bonett standard error which is known to be very accurate. If any other type of confidence interval is used, this function computes an approximate standard error.

In a 2-group design, this function can be used to compute the standard error of the median in each group. Then the difference in estimated medians in the two groups can be used as the effect size and the standard error of the difference can be set to the square root of the sum of the squared standard errors from each group. Single-group medians or median differences and their standard errors can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions.

Usage

```
se.median(alpha, LL, UL, n, type)
```

Arguments

alpha	alpha value for 1-alpha confidence interval
LL	lower limit of confidence interval
UL	upper limit of confidence interval
n	sample size
type	<ul style="list-style-type: none"> • set to 1 for classical confidence interval • set to 2 for any other type of confidence interval

Value

Returns the estimated standard error of the sample median

References

Price RM, Bonett DG (2001). "Estimating the variance of the sample median." *Journal of Computation and Simulation*, **68**(3), 295–305. doi:10.1080/00949650108812071.

Snedecor GW, Cochran WG (1980). *Statistical methods*, 7th edition. ISU University Pres, Ames, Iowa.

Examples

```
se.median(.05, 47.21, 68.68, 35, 1)

# Should return:
#           SE
# 5.252114
```

<code>se.oddsratio</code>	<i>Computes the standard error for a log odds ratio</i>
---------------------------	---

Description

Computes a log odds ratio and its standard error using the frequency counts and sample sizes in a 2-group design. These frequency counts and sample sizes can be obtained from a 2 x 2 contingency table. The log odd ratio and its standard error are computed using a .5 addition to each frequency count of the 2 x 2 contingency table. This function is useful in a meta-analysis of odds ratios where some studies report the sample odds ratio and its standard error and other studies only report the frequency counts for a 2 x 2 contingency table. The log odds ratio and standard error output from this function can be used as input in the [meta.ave.gen.log](#) function.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.oddsratio(f1, n1, f2, n2)
```

Arguments

<code>f1</code>	number of participants who have the outcome in group 1
<code>n1</code>	sample size for group 1
<code>f2</code>	number of participants who have the outcome in group 2
<code>n2</code>	sample size for group 2

Value

Returns a one-row matrix:

- Estimate - estimated log odds ratio
- SE - standard error

References

Bonett DG, Price RM (2015). “Varying coefficient meta-analysis methods for odds ratios and risk ratios.” *Psychological Methods*, **20**(3), 394–406. ISSN 1939-1463, [doi:10.1037/met0000032](https://doi.org/10.1037/met0000032).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.oddsratio(36, 50, 21, 50)

# Should return:
#           Estimate      SE
# Log odds ratio: 1.239501 0.4204435
```

se.pbcor

Computes the standard error for a point-biserial correlation

Description

Computes a point-biserial correlation and its standard error for two types of point-biserial correlations in 2-group designs using the estimated means, estimated standard deviations, and sample sizes. Equality of variances is not assumed. One type of point-biserial correlation uses an unweighted average of variances and is recommended for 2-group experimental designs. The other type of point-biserial correlation uses a weighted average of variances and is recommended for 2-group nonexperimental designs with simple random sampling (but not stratified random sampling). This function is useful in a meta-analysis of compatible point-biserial correlations where some studies used a 2-group experimental design and other studies used a 2-group nonexperimental design. The effect size estimate and standard error output from this function can be used as input in the [meta.ave.cor.gen](#) function.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.pbcor(m1, m2, sd1, sd2, n1, n2, type)
```

Arguments

m1	estimated mean for group 1
m2	estimated mean for group 2
sd1	estimated standard deviation for group 1
sd2	estimated standard deviation for group 2
n1	sample size for group 1
n2	sample size for group 2
type	<ul style="list-style-type: none"> • set to 1 for weighted variance average • set to 2 for unweighted variance average

Value

Returns a one-row matrix:

- Estimate - estimated point-biserial correlation
- SE - standard error

References

Bonett DG (2020). “Point-biserial correlation: Interval estimation, hypothesis testing, meta-analysis, and sample size determination.” *British Journal of Mathematical and Statistical Psychology*, **73**(S1), 113–144. ISSN 0007-1102, doi:10.1111/bmsp.12189.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.pbcor(21.9, 16.1, 3.82, 3.21, 40, 40, 1)

# Should return:
#               Estimate      SE
# Point-biserial correlation:  0.635 0.05981
```

se.prop.ps	<i>Computes the estimate and standard error for a paired-samples proportion difference</i>
------------	--

Description

This function computes a standard error of a paired-samples proportion difference using the frequency counts from a 2 x 2 contingency table and the number of studies in the planned meta-analysis. The effect size estimate and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in applications where compatible proportion differences from a combination of 2-group and paired-samples studies are used in the meta-analysis.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.prop.ps(f00, f01, f10, f11, m)
```

Arguments

f00	number of participants with y = 0 and x = 0
f01	number of participants with y = 0 and x = 1
f10	number of participants with y = 1 and x = 0
f11	number of participants with y = 1 and x = 1
m	number of studies in planned meta-analysis

Value

Returns a one-row matrix:

- Estimate - adjusted estimate of proportion difference
- SE - standard error

References

Bonett DG, Price RM (2012). “Adjusted wald confidence interval for a difference of binomial proportions based on paired data.” *Journal of Educational and Behavioral Statistics*, **37**(4), 479–488. ISSN 1076-9986, doi:10.3102/1076998611411915.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.prop.ps(16, 64, 5, 15, 4)

# Should return:
#               Estimate      SE
# Proportion difference: 0.5870647 0.0587513
```

se.prop2	<i>Computes the estimate and standard error for a 2-group proportion difference</i>
----------	---

Description

This function computes the Price-Bonett standard error of a 2-group proportion difference using the frequency counts, sample sizes, and planned number of studies in the meta-analysis. The effect size estimate and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in applications where compatible proportion differences from a combination of 2-group and paired-samples studies are used in the meta-analysis.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.prop2(f1, f2, n1, n2, m)
```

Arguments

f1	number of participants in group 1 who have the outcome
f2	number of participants in group 2 who have the outcome
n1	sample size for group 1
n2	sample size for group 2
m	number of studies in planned meta-analysis

Value

Returns a one-row matrix:

- Estimate - adjusted estimate of proportion difference for meta-analysis
- SE - standard error of adjusted estimate for meta-analysis

References

- Price RM, Bonett DG (2004). “An improved confidence interval for a linear function of binomial proportions.” *Computational Statistics and Data Analysis*, **45**(3), 449–456. ISSN 01679473, doi:10.1016/S01679473(03)000070.
- Bonett DG, Price RM (2014). “Meta-analysis methods for risk differences.” *British Journal of Mathematical and Statistical Psychology*, **67**(3), 371–387. ISSN 00071102, doi:10.1111/bmsp.12024.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.prop2(31, 16, 40, 40, 5)

# Should return:
#               Estimate      SE
# Proportion difference: 0.3676471 0.1011817
```

se.propratio.ps	<i>Computes the estimate and standard error for a paired-samples log proportion ratio</i>
-----------------	---

Description

Computes a large-sample standard error of a paired-samples log proportion ratio using the frequency counts from a 2 x 2 contingency table. The log proportion ratio and standard error output from this function can be used as input in the [meta.ave.gen.log](https://www.psychstat.org/meta.ave.gen.log) function in applications where compatible proportion ratios from a combination of 2-group and paired-samples studies are used in the meta-analysis.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.propratio.ps(f00, f01, f10, f11)
```

Arguments

f00	number of participants with y = 0 and x = 0
f01	number of participants with y = 0 and x = 1
f10	number of participants with y = 1 and x = 0
f11	number of participants with y = 1 and x = 1

Value

Returns a one-row matrix:

- Estimate - estimated log proportion ratio
- SE - standard error

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.propratio.ps(16, 64, 5, 15)

# Should return:
#               Estimate      SE
# Log proportion ratio: -1.373716  0.2089758
```

se.propratio2	<i>Computes the estimate and standard error for a 2-group log proportion ratio</i>
---------------	--

Description

Computes the Price-Bonett standard error of a 2-group proportion ratio using the frequency count and sample size for each group. The log proportion ratio and standard error output from this function can be used as input in the [meta.ave.gen.log](#) function in applications where compatible proportion ratios from a combination of 2-group and paired-samples studies are used in the meta-analysis. If the proportions in each group are small (less than .1), proportion ratios may be compatible with odds ratios and then the [meta.ave.gen.log](#) function could be used to meta-analyze any combination of log proportion ratios and log odds ratios.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.propratio2(f1, f2, n1, n2)
```

Arguments

f1	number of participants in group 1 who have the outcome
f2	number of participants in group 2 who have the outcome
n1	sample size for group 1
n2	sample size for group 2

Value

Returns a one-row matrix:

- Estimate - estimated log proportion ratio
- SE - standard error

References

Price RM, Bonett DG (2008). “Confidence intervals for a ratio of two independent binomial proportions.” *Statistics in Medicine*, **27**(26), 5497–5508. ISSN 02776715, doi:10.1002/sim.3376.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.propratio2(31, 16, 40, 40)

# Should return:
#               Estimate      SE
# Log proportion ratio: 0.6539265 0.2136218
```

<code>se.semipart</code>	<i>Computes the standard error for a semipartial correlation</i>
--------------------------	--

Description

Computes the standard error of a semipartial correlation using the estimated semipartial correlation, sample size, and squared multiple correlation for the full model. The full model includes the independent variable of interest and all control variables. The effect size estimate and standard error output from this function can be used as input in the [meta.ave.cor.gen](#) function in applications where a combination of different types of compatible correlations are used in the meta-analysis.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.semipart(cor, r2, n)
```

Arguments

<code>cor</code>	estimated semipartial correlation
<code>r2</code>	estimated squared multiple correlation for a model that includes the IV and all control variables
<code>n</code>	sample size

Value

Returns a one-row matrix:

- Estimate - semipartial correlation (from input)
- SE - standard error

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.semipart(.454, .25, 60)

# Should return:
#               Estimate      SE
# Semipartial correlation:  0.454 0.10298
```

se.slope	<i>Computes a slope and its standard error</i>
----------	--

Description

Computes a slope and its standard error for a simple linear regression model (random-x model) using the estimated Pearson correlation and the estimated standard deviations of the response variable and predictor variable. This function is useful in a meta-analysis of slopes of a simple linear regression model where some studies report the Pearson correlation but not the slope.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.slope(cor, sdy, sdx, n)
```

Arguments

cor	estimated Pearson correlation
sdy	estimated standard deviation of the response variable
sdx	estimated standard deviation of the predictor variable
n	sample size

Value

Returns a one-row matrix:

- Estimate - estimated slope
- SE - standard error

References

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.slope(.392, 4.54, 2.89, 60)

# Should return:
#           Estimate      SE
# Slope:  0.6158062 0.1897647
```

se.spear

Computes the standard error for a Spearman correlation

Description

Computes the Bonett-Wright standard error of a Spearman correlation using the estimated Spearman correlation and sample size. The standard error from this function can be used as input in the [meta.ave.cor.gen](#) function in applications where a combination of different types of compatible correlations are used in the meta-analysis.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.spear(cor, n)
```

Arguments

cor	estimated Spearman correlation
n	sample size

Value

Returns a one-row matrix:

- Estimate - Spearman correlation (from input)
- SE - standard error

References

Bonett DG, Wright TA (2000). "Sample size requirements for estimating Pearson, Kendall and Spearman correlations." *Psychometrika*, **65**(1), 23–28. ISSN 0033-3123, doi:[10.1007/BF02294183](https://doi.org/10.1007/BF02294183).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.spear(.427, 55)

# Should return:
#               Estimate      SE
# Spearman correlation:  0.427 0.11845
```

se.stdmean.ps	<i>Computes the standard error for a paired-samples standardized mean difference</i>
---------------	--

Description

Computes the standard error of a paired-samples standardized mean difference using the sample size, estimated means, estimated standard deviations, and estimated correlation. The effect size estimate and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in applications where compatible standardized mean differences from a combination of 2-group and paired-samples experiments are used in the meta-analysis. Equality of variances is not assumed.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.stdmean.ps(m1, m2, sd1, sd2, cor, n, stdzr)
```

Arguments

m1	estimated mean for measurement 1
m2	estimated mean for measurement 2
sd1	estimated standard deviation for measurement 1
sd2	estimated standard deviation for measurement 2
cor	estimated correlation for measurements 1 and 2
n	sample size
stdzr	<ul style="list-style-type: none"> • set to 0 for square root average variance standardizer • set to 1 for measurement 1 SD standardizer • set to 2 for measurement 2 SD standardizer

Value

Returns a one-row matrix:

- Estimate - estimated standardized mean difference
- SE - standard error

References

- Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:10.1037/a0016619.
- Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.stdmean.ps(23.9, 25.1, 1.76, 2.01, .78, 25, 0)

# Should return:
#               Estimate      SE
# Standardized mean difference: -0.6352 0.16029

se.stdmean.ps(23.9, 25.1, 1.76, 2.01, .78, 25, 1)

# Should return:
#               Estimate      SE
# Standardized mean difference: -0.6818 0.17738
```

se.stdmean2	<i>Computes the standard error for a 2-group standardized mean difference</i>
-------------	---

Description

Computes the standard error of a 2-group standardized mean difference using the sample sizes and the estimated means and standard deviations. Use the square root average variance standardizer (stdzr = 0) for 2-group experimental designs. Use the square root weighted variance standardizer (stdzr = 3) for 2-group nonexperimental designs with simple random sampling. The single-group standardizers (stdzr = 1 and stdzr = 2) can be used with either 2-group experimental or nonexperimental designs. The effect size estimate and standard error output from this function can be used as input in the [meta.ave.gen](#), [meta.lc.gen](#), and [meta.lm.gen](#) functions in applications where compatible standardized mean differences from a combination of 2-group and paired-samples experiments are used in the meta-analysis. Equality of variances is not assumed.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.stdmean2(m1, m2, sd1, sd2, n1, n2, stdzr)
```

Arguments

m1	estimated mean for group 1
m2	estimated mean for group 2
sd1	estimated standard deviation for group 1

sd2	estimated standard deviation for group 2
n1	sample size for group 1
n2	sample size for group 2
stdzr	<ul style="list-style-type: none"> • set to 0 for square root average variance standardizer • set to 1 for group 1 SD standardizer • set to 2 for group 2 SD standardizer • set to 3 for square root weighted variance standardizer

Value

Returns a one-row matrix:

- Estimate - estimated standardized mean difference
- SE - standard error

References

Bonett DG (2009). “Meta-analytic interval estimation for standardized and unstandardized mean differences.” *Psychological Methods*, **14**(3), 225–238. ISSN 1939-1463, doi:[10.1037/a0016619](https://doi.org/10.1037/a0016619).

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

See Also

[se.cohen](#)

Examples

```
se.stdmean2(21.9, 16.1, 3.82, 3.21, 40, 40, 0)

# Should return:
#               Estimate      SE
# Standardized mean difference:  1.6439 0.26290

se.stdmean2(21.9, 16.1, 3.82, 3.21, 31, 49, 3)

# Should return:
#               Estimate      SE
# Standardized mean difference:  1.6776 0.27573
```

se.tetra	<i>Computes the standard error for a tetrachoric correlation approximation</i>
----------	--

Description

Computes an estimate of a tetrachoric correlation approximation and its standard error using the frequency counts from a 2 x 2 contingency table for two artificially dichotomous variables. A tetrachoric approximation could be compatible with a Pearson correlation in a meta-analysis. The tetrachoric approximation and the standard error from this function can be used as input in the [meta.ave.cor.gen](https://www.meta-ave.com/gen) function in a meta-analysis where some studies have reported Pearson correlations between quantitative variables x and y and other studies have reported a 2 x 2 contingency table for dichotomous measurements of variables x and y.

For more details, see Chapter 1 of Bonett (2021, Volume 5)

Usage

```
se.tetra(f00, f01, f10, f11)
```

Arguments

f00	number of participants with y = 0 and x = 0
f01	number of participants with y = 0 and x = 1
f10	number of participants with y = 1 and x = 0
f11	number of participants with y = 1 and x = 1

Value

Returns a 1-row matrix. The columns are:

- Estimate - estimated tetrachoric approximation
- SE - standard error

References

Bonett DG, Price RM (2005). "Inferential methods for the tetrachoric correlation coefficient." *Journal of Educational and Behavioral Statistics*, **30**(2), 213–225. ISSN 1076-9986, doi:10.3102/10769986030002213.

Bonett DG (2021). *Statistical Methods for Psychologists, Vol 1-5*, <https://dgbonett.sites.ucsc.edu/>.

Examples

```
se.tetra(46, 15, 54, 85)

# Should return:
#           Estimate    SE
# Tetrachoric:    0.514 0.0936
```

stdmean2.from.t	<i>Computes Cohen's d from pooled-variance t statistic</i>
-----------------	--

Description

This function computes Cohen's d for a 2-group design (which is a standardized mean difference with a weighted variance standardizer) using a pooled-variance independent-samples t statistic and the two sample sizes. This function also computes the standard error for Cohen's d. The Cohen's d estimate and standard error assume equality of population variances.

Usage

```
stdmean2.from.t(t, n1, n2)
```

Arguments

t	pooled-variance t statistic
n1	sample size for group 1
n2	sample size for group 2

Value

Returns Cohen's d and its equal-variance standard error

Examples

```
stdmean2.from.t(3.27, 25, 25)

# Should return:
#           Estimate    SE
# Cohen's d    0.925 0.2982
```

table.from.odds	<i>Computes the cell frequencies in a 2x2 table using the marginal proportions and odds ratio</i>
-----------------	---

Description

This function computes the cell proportions and frequencies in a 2x2 contingency table using the reported marginal proportions, estimated odds ratio, and total sample size. The cell frequencies could then be used to compute other measures of effect size. In the output, "cell ij" refers to row i and column j.

Usage

```
table.from.odds(p1row, p1col, or, n)
```

Arguments

p1row	marginal proportion for row 1
p1col	marginal proportion for column 1
or	estimated odds ratio
n	total sample size

Value

A 2-row matrix. The rows are:

- Row 1 gives the four computed cell proportions
- Row 2 gives the four computed cell frequencies

The columns are:

- cell 11 - proportion and frequency for cell 11
- cell 12 - proportion and frequency for cell 12
- cell 21 - proportion and frequency for cell 21
- cell 22 - proportion and frequency for cell 22

References

Bonett DG (2007). "Transforming odds ratios into correlations for meta-analytic research." *American Psychologist*, **62**(3), 254–255. doi:10.1037/0003066X.62.3.254.

Examples

```
table.from.odds(.17, .5, 3.18, 100)

# Should return:
#           cell 11   cell 12   cell 21   cell 22
# Proportion: 0.1233262 0.04667383 0.3766738 0.4533262
# Frequency: 12.0000000 5.0000000 38.0000000 45.0000000
```

table.from.phi	<i>Computes the cell frequencies in a 2x2 table using the marginal proportions and phi correlation</i>
----------------	--

Description

This function computes the cell proportions and frequencies in a 2x2 contingency table using the reported marginal proportions, estimated phi correlation, and total sample size. The cell frequencies could then be used to compute other measures of effect size. In the output, "cell ij" refers to row i and column j.

Usage

```
table.from.phi(p1row, p1col, phi, n)
```

Arguments

p1row	marginal proportion for row 1
p1col	marginal proportion for column 1
phi	estimated phi correlation
n	total sample size

Value

A 2-row matrix. The rows are:

- Row 1 gives the four computed cell proportions
- Row 2 gives the four computed cell frequencies

The columns are:

- cell 11 - proportion and frequency for cell 11
- cell 12 - proportion and frequency for cell 12
- cell 21 - proportion and frequency for cell 21
- cell 22 - proportion and frequency for cell 22

Examples

```
table.from.phi(.28, .64, .38, 200)

# Should return:
#           cell 11  cell 12  cell 21  cell 22
# Proportion: 0.2610974 0.0189026 0.3789026 0.3410974
# Frequency  52.0000000 4.0000000 76.0000000 68.0000000
```

Index

cor.from.t, 4

meta.ave.agree, 5
meta.ave.cor, 6
meta.ave.cor.gen, 6, 7, 128, 130, 132, 133, 136, 143, 148, 150, 154
meta.ave.cronbach, 9
meta.ave.gen, 10, 12, 15, 127, 131, 135, 137–141, 144, 145, 151, 152
meta.ave.gen.cc, 11
meta.ave.gen.log, 13, 142, 146, 147
meta.ave.gen.rc, 14
meta.ave.mean.ps, 16
meta.ave.mean2, 17
meta.ave.meanratio.ps, 19
meta.ave.meanratio2, 20
meta.ave.oddsratio, 22
meta.ave.path, 23
meta.ave.pbcor, 25
meta.ave.plot, 26
meta.ave.prop.ps, 28
meta.ave.prop2, 29
meta.ave.propratio2, 30
meta.ave.semipart, 32
meta.ave.slope, 33
meta.ave.spear, 34
meta.ave.stdmean.ps, 35
meta.ave.stdmean2, 37
meta.ave.var, 38
meta.chitest, 39
meta.lc.agree, 40
meta.lc.gen, 42, 127, 131, 135, 137–141, 144, 145, 151, 152
meta.lc.mean.ps, 43
meta.lc.mean1, 44
meta.lc.mean2, 45
meta.lc.meanratio.ps, 47
meta.lc.meanratio2, 48
meta.lc.oddsratio, 50
meta.lc.prop.ps, 51
meta.lc.prop1, 52
meta.lc.prop2, 53
meta.lc.propratio2, 54
meta.lc.stdmean.ps, 56
meta.lc.stdmean2, 57
meta.lm.agree, 58
meta.lm.cor, 60
meta.lm.cor.gen, 61
meta.lm.cronbach, 62
meta.lm.gen, 63, 127, 131, 135, 137–141, 144, 145, 151, 152
meta.lm.mean.ps, 65
meta.lm.mean1, 66
meta.lm.mean2, 67
meta.lm.meanratio.ps, 69
meta.lm.meanratio2, 70
meta.lm.oddsratio, 72
meta.lm.prop.ps, 73
meta.lm.prop1, 75
meta.lm.prop2, 76
meta.lm.propratio2, 77
meta.lm.semipart, 79
meta.lm.spear, 80
meta.lm.stdmean.ps, 81
meta.lm.stdmean2, 83
meta.sub.cor, 84
meta.sub.cronbach, 86
meta.sub.gen, 87
meta.sub.pbcor, 88
meta.sub.semipart, 90
meta.sub.spear, 91

replicate.agree, 93
replicate.cor, 94
replicate.cor.gen, 95
replicate.cronbach, 97
replicate.gen, 98, 121
replicate.mean.ps, 99
replicate.mean1, 102
replicate.mean2, 103

replicate.meanratio.ps, 105
replicate.meanratio2, 107
replicate.oddsratio, 109
replicate.pbcor, 110
replicate.plot, 113
replicate.prop.ps, 115
replicate.prop1, 116
replicate.prop2, 118
replicate.propratio2, 119
replicate.slope, 121
replicate.spear, 122
replicate.stdmean.ps, 123
replicate.stdmean2, 125

se.agree, 127
se.ave.cor.nonover, 128
se.ave.cor.over, 130
se.ave.mean2.dep, 131
se.biphi, 132
se.bscor, 133
se.cohen, 135, 153
se.cor, 136
se.mean.ps, 137
se.mean2, 138
se.meanratio.ps, 139
se.meanratio2, 140
se.median, 141
se.oddsratio, 142
se.pbcor, 143
se.prop.ps, 144
se.prop2, 145
se.propratio.ps, 146
se.propratio2, 147
se.semipart, 148
se.slope, 149
se.spear, 150
se.stdmean.ps, 151
se.stdmean2, 135, 152
se.tetra, 154
stdmean2.from.t, 155

table.from.odds, 156
table.from.phi, 157